

DEP	SEC	SFT	M/C	QUAL. CODE	DESCRIPTION	LAID LEN.	PROD	QLTY	BASIC
9	1	A	H01	I001	H BEAM 000 TO 374 L/L 100 Yds.	165	23.00	6.6150	2.51
				I002	H BEAM 375 TO 424 L/L 100 Yds.	165	5.00	7.0875	0.58
				I003	H BEAM 425 TO 474 L/L 100 Yds.	165	341.00	7.5600	42.54
				I004	H BEAM 475 TO 524 L/L 100 Yds.	165	21.00	8.0325	2.78
				I006	H BEAM 575 TO 624 L/L 100 Yds.	165	142.00	8.9775	21.03
Total:									69.44
9	1	A	H02	I001	H BEAM 000 TO 374 L/L 100 Yds.	165	145.00	6.6150	15.83
				I002	H BEAM 375 TO 424 L/L 100 Yds.	165	59.50	7.0875	6.96
				I002	H BEAM 375 TO 424 L/L 100 Yds.	970	8.50	7.0875	5.84
				I003	H BEAM 425 TO 474 L/L 100 Yds.	165	109.00	7.5600	13.60
				I004	H BEAM 475 TO 524 L/L 100 Yds.	165	15.00	8.0325	1.99
				I006	H BEAM 575 TO 624 L/L 100 Yds.	165	8.00	8.9775	1.19
Total:									45.41
9	1	A	H03	I001	H BEAM 000 TO 374 L/L 100 Yds.	165	5.00	6.6150	0.55
				I003	H BEAM 425 TO 474 L/L 100 Yds.	165	3.00	7.5600	0.37
				I006	H BEAM 575 TO 624 L/L 100 Yds.	165	158.00	8.9775	23.40
				I007	H BEAM 625 TO 674 L/L 100 Yds.	170	10.00	9.4500	1.61
				I007	H BEAM 625 TO 674 L/L 100 Yds.	165	18.00	9.4500	2.81
				I008	H BEAM 675 TO 724 L/L 100 Yds.	165	4.50	9.9225	0.74
				I008	H BEAM 675 TO 724 L/L 100 Yds.	620	19.50	9.9225	12.00
				I009	H BEAM 725 TO 774 L/L 100 Yds.	620	4.50	10.395	2.90
				I009	H BEAM 725 TO 774 L/L 100 Yds.	165	6.00	10.395	1.03
				I010	H BEAM 775 TO 824 L/L 100 Yds.	165	24.00	10.8675	4.30
				I010	H BEAM 775 TO 824 L/L 100 Yds.	175	18.00	10.8675	3.42
				I011	H BEAM 825 TO 874 L/L 100 Yds.	175	4.00	11.34	0.79
				I011	H BEAM 825 TO 874 L/L 100 Yds.	165	8.00	11.34	1.50
I013	H BEAM 925 & ABOVE L/L100 Yds.	620	2.00	12.285	1.52				
Total:									56.94
9	1	A	H04	I001	H BEAM 000 TO 374 L/L 100 Yds.	165	10.00	6.6150	1.09
				I002	H BEAM 375 TO 424 L/L 100 Yds.	165	28.00	7.0875	3.27
				I003	H BEAM 425 TO 474 L/L 100 Yds.	165	179.00	7.5600	22.33
				I004	H BEAM 475 TO 524 L/L 100 Yds.	165	352.00	8.0325	46.65
Total:									73.34
9	1	A	H05	I001	H BEAM 000 TO 374 L/L 100 Yds.	165	180.00	6.6150	26.20
Total:									26.2
9	1	A	H06	I001	H BEAM 000 TO 374 L/L 100 Yds.	165	20.00	6.6150	2.18
				I005	H BEAM 525 TO 574 L/L 100 Yds.	165	35.00	8.5050	4.91
				I006	H BEAM 575 TO 624 L/L 100 Yds.	165	30.00	8.9775	4.44
				I006	H BEAM 575 TO 624 L/L 100 Yds.	620	30.00	8.9775	16.70
				I008	H BEAM 675 TO 724 L/L 100 Yds.	170	20.00	9.9225	3.37
Total:									31.6
9	1	A	H07	I001	H BEAM 000 TO 374 L/L 100 Yds.	170	7.00	6.6150	0.79
				I001	H BEAM 000 TO 374 L/L 100 Yds.	165	475.00	6.6150	51.85
				I002	H BEAM 375 TO 424 L/L 100 Yds.	165	295.00	7.0875	34.50
Total:									87.14
9	1	A	H08	I001	H BEAM 000 TO 374 L/L 100 Yds.	165	317.00	6.6150	46.13
				I005	H BEAM 525 TO 574 L/L 100 Yds.	165	4.00	8.5050	0.75
Total:									46.88
9	1	B	H01	I002	H BEAM 375 TO 424 L/L 100 Yds.	165	25.00	7.0875	2.92
				I003	H BEAM 425 TO 474 L/L 100 Yds.	165	388.00	7.5600	48.40
				I004	H BEAM 475 TO 524 L/L 100 Yds.	165	7.00	8.0325	0.93

DEP	SEC	SFT	M/C	QUAL. CODE	DESCRIPTION	LAID LEN.	PROD	QLTY	BASIC
9	1	B	H01	I006	H BEAM 575 TO 624 L/L 100 Yds.	165	88.00	8.9775	13.04
				Total:					65.29
9	1	B	H02	I001	H BEAM 000 TO 374 L/L 100 Yds.	165	65.00	6.6150	7.09
				I002	H BEAM 375 TO 424 L/L 100 Yds.	165	82.00	7.0875	9.59
				I002	H BEAM 375 TO 424 L/L 100 Yds.	970	8.00	7.0875	5.50
				I003	H BEAM 425 TO 474 L/L 100 Yds.	165	75.00	7.5600	9.36
				I004	H BEAM 475 TO 524 L/L 100 Yds.	165	11.00	8.0325	1.46
				Total:					33
9	1	B	H03	I003	H BEAM 425 TO 474 L/L 100 Yds.	165	12.00	7.5600	1.50
				I006	H BEAM 575 TO 624 L/L 100 Yds.	165	126.00	8.9775	18.66
				I008	H BEAM 675 TO 724 L/L 100 Yds.	170	28.00	9.9225	4.72
				I008	H BEAM 675 TO 724 L/L 100 Yds.	620	29.00	9.9225	17.84
				I009	H BEAM 725 TO 774 L/L 100 Yds.	620	9.50	10.395	6.12
				I010	H BEAM 775 TO 824 L/L 100 Yds.	175	59.00	10.8675	11.22
				I011	H BEAM 825 TO 874 L/L 100 Yds.	175	3.00	11.34	0.60
				Total:					60.66
9	1	B	H04	I001	H BEAM 000 TO 374 L/L 100 Yds.	165	9.00	6.6150	0.98
				I002	H BEAM 375 TO 424 L/L 100 Yds.	165	44.00	7.0875	5.15
				I003	H BEAM 425 TO 474 L/L 100 Yds.	165	68.00	7.5600	8.48
				I004	H BEAM 475 TO 524 L/L 100 Yds.	165	321.00	8.0325	42.54
				Total:					57.15
9	1	B	H05	I001	H BEAM 000 TO 374 L/L 100 Yds.	165	725.00	6.6150	105.51
				Total:					105.51
9	1	B	H06	I003	H BEAM 425 TO 474 L/L 100 Yds.	165	24.00	7.5600	2.99
				I005	H BEAM 525 TO 574 L/L 100 Yds.	165	45.00	8.5050	6.31
				I006	H BEAM 575 TO 624 L/L 100 Yds.	165	30.00	8.9775	4.44
				I008	H BEAM 675 TO 724 L/L 100 Yds.	170	14.00	9.9225	2.36
				Total:					16.1
9	1	B	H07	I002	H BEAM 375 TO 424 L/L 100 Yds.	165	32.00	7.0875	3.74
				Total:					3.74
9	1	B	H08	I001	H BEAM 000 TO 374 L/L 100 Yds.	165	249.00	6.6150	36.24
				Total:					36.24
9	1	C	H01	I001	H BEAM 000 TO 374 L/L 100 Yds.	165	25.00	6.6150	2.73
				I002	H BEAM 375 TO 424 L/L 100 Yds.	970	2.00	7.0875	1.37
				I002	H BEAM 375 TO 424 L/L 100 Yds.	165	40.00	7.0875	4.68
				I003	H BEAM 425 TO 474 L/L 100 Yds.	165	378.00	7.5600	47.15
				I006	H BEAM 575 TO 624 L/L 100 Yds.	165	78.00	8.9775	11.55
				Total:					67.48
9	1	C	H02	I001	H BEAM 000 TO 374 L/L 100 Yds.	165	69.00	6.6150	7.53
				I002	H BEAM 375 TO 424 L/L 100 Yds.	165	46.00	7.0875	5.38
				I002	H BEAM 375 TO 424 L/L 100 Yds.	970	2.00	7.0875	1.37
				I003	H BEAM 425 TO 474 L/L 100 Yds.	165	47.00	7.5600	5.86
				I004	H BEAM 475 TO 524 L/L 100 Yds.	165	18.00	8.0325	2.39
				Total:					22.53
9	1	C	H03	I003	H BEAM 425 TO 474 L/L 100 Yds.	165	41.00	7.5600	5.11
				I006	H BEAM 575 TO 624 L/L 100 Yds.	165	175.00	8.9775	25.92
				I008	H BEAM 675 TO 724 L/L 100 Yds.	170	26.00	9.9225	4.39
				I008	H BEAM 675 TO 724 L/L 100 Yds.	165	1.00	9.9225	0.16
				I008	H BEAM 675 TO 724 L/L 100 Yds.	620	31.00	9.9225	19.07
				I009	H BEAM 725 TO 774 L/L 100 Yds.	620	2.50	10.395	1.61
				I010	H BEAM 775 TO 824 L/L 100 Yds.	175	21.00	10.8675	3.99

DEP	SEC	SFT	M/C	QUAL. CODE	DESCRIPTION	LAID LEN.	PROD	QLTY	BASIC
9	1	C	H03	I011	H BEAM 825 TO 874 L/L 100 Yds.	175	22.00	11.34	4.37
				Total:					64.62
9	1	C	H04	I002	H BEAM 375 TO 424 L/L 100 Yds.	165	47.00	7.0875	5.50
				I003	H BEAM 425 TO 474 L/L 100 Yds.	165	243.00	7.5600	30.31
				I004	H BEAM 475 TO 524 L/L 100 Yds.	165	202.00	8.0325	26.77
				Total:					62.58
9	1	C	H05	I001	H BEAM 000 TO 374 L/L 100 Yds.	165	698.00	6.6150	101.58
				Total:					101.58
9	1	C	H07	I001	H BEAM 000 TO 374 L/L 100 Yds.	170	3.00	6.6150	0.34
				I001	H BEAM 000 TO 374 L/L 100 Yds.	165	469.00	6.6150	51.19
				I002	H BEAM 375 TO 424 L/L 100 Yds.	165	236.00	7.0875	27.60
				Total:					79.13
9	4	A	S01	I053	S BEAM 400 To 474 L/L 100 Yds.	130	1068.00	8.2000	113.85
				Total:					113.85
9	4	A	S02	I053	S BEAM 400 To 474 L/L 100 Yds.	130	36.00	8.2000	3.84
				I054	S BEAM 475 To 549 L/L 100 Yds.	130	1019.00	8.8300	116.97
				Total:					120.81
9	4	A	S03	I053	S BEAM 400 To 474 L/L 100 Yds.	130	936.00	8.2000	99.78
				I054	S BEAM 475 To 549 L/L 100 Yds.	130	145.00	8.8300	16.64
				Total:					116.42
9	4	A	S04	I053	S BEAM 400 To 474 L/L 100 Yds.	130	1020.00	8.2000	108.73
				Total:					108.73
9	4	A	S05	I053	S BEAM 400 To 474 L/L 100 Yds.	130	1062.00	8.2000	113.21
				Total:					113.21
9	4	A	S07	I053	S BEAM 400 To 474 L/L 100 Yds.	130	996.00	8.2000	106.17
				I054	S BEAM 475 To 549 L/L 100 Yds.	130	78.00	8.8300	8.95
				Total:					115.12
9	4	A	S08	I051	S BEAM 001 TO 324 L/L 100 Yds.	130	54.00	6.9400	4.87
				I053	S BEAM 400 To 474 L/L 100 Yds.	130	970.00	8.2000	103.40
				Total:					108.27
9	4	B	S01	I053	S BEAM 400 To 474 L/L 100 Yds.	130	900.00	8.2000	95.94
				Total:					95.94
9	4	B	S02	I053	S BEAM 400 To 474 L/L 100 Yds.	130	234.00	8.2000	24.94
				I054	S BEAM 475 To 549 L/L 100 Yds.	130	672.00	8.8300	77.14
				Total:					102.08
9	4	B	S03	I053	S BEAM 400 To 474 L/L 100 Yds.	130	828.00	8.2000	88.26
				I054	S BEAM 475 To 549 L/L 100 Yds.	130	71.00	8.8300	8.15
				Total:					96.41
9	4	B	S04	I053	S BEAM 400 To 474 L/L 100 Yds.	130	780.00	8.2000	83.15
				Total:					83.15
9	4	B	S05	I053	S BEAM 400 To 474 L/L 100 Yds.	130	900.00	8.2000	95.94
				Total:					95.94
9	4	B	S07	I053	S BEAM 400 To 474 L/L 100 Yds.	130	906.00	8.2000	96.58
				Total:					96.58
9	4	B	S08	I053	S BEAM 400 To 474 L/L 100 Yds.	130	924.00	8.2000	98.50
				Total:					98.50
9	4	C	S01	I053	S BEAM 400 To 474 L/L 100 Yds.	130	984.00	8.2000	104.89
				Total:					104.89
9	4	C	S02	I053	S BEAM 400 To 474 L/L 100 Yds.	130	174.00	8.2000	18.55
				I054	S BEAM 475 To 549 L/L 100 Yds.	130	780.00	8.8300	89.54
				Total:					108.09

DEP	SEC	SFT	M/C	QUAL. CODE	DESCRIPTION	LAID LEN.	PROD	QLTY	BASIC	
9	4	C	S03	I053	S BEAM 400 To 474 L/L 100 Yds.	130	840.00	8.2000	89.54	
				I054	S BEAM 475 To 549 L/L 100 Yds.	130	143.00	8.8300	16.41	
				Total:					105.95	
9	4	C	S04	I053	S BEAM 400 To 474 L/L 100 Yds.	130	846.00	8.2000	90.18	
				Total:					90.18	
9	4	C	S05	I053	S BEAM 400 To 474 L/L 100 Yds.	130	978.00	8.2000	104.25	
				Total:					104.25	
9	4	C	S07	I053	S BEAM 400 To 474 L/L 100 Yds.	130	942.00	8.2000	100.42	
				Total:					100.42	
9	4	C	S08	I053	S BEAM 400 To 474 L/L 100 Yds.	130	1074.00	8.2000	114.49	
				Total:					114.49	