

MURLIDHAR RATANLAL EXPORTS LIMITED

UNIT: HASTINGS JUTE MILL

Qualitywise Efficiency Report For 15-JUN-24 to 21-JUN-24

BROAD LOOM

02-JUL-24 09:51 AM

Page 1 of 10

Wastage : 0.0

| Shift | T/Hrs | L/Hrs | W/Hrs |
|-------|-------|--------|-------|
| A | 40.00 | - 0.00 | 40.00 |
| B | 40.00 | - 0.00 | 40.00 |
| C | 37.50 | - 0.00 | 37.50 |
| | | | 117.5 |

| Qlty Code | Quality Port | Shot | Specifications Width | Description | R.S. | Laid Lngth | Fin. Lngth | No of Cuts | Total Yds/mtr | Gms/ Yds | Wt in Kg | Total Yds/mtr | Eff% | Total Loom Hour | No of Looms | Kg/ Loom/Hour |
|-----------|--------------|------|----------------------|-----------------|------|------------|------------|------------|---------------|----------|----------|---------------|------|-----------------|-------------|---------------|
| G083 | 5 | 7 | 22.4 | GOV.B.TWILL | 36" | 130 | 121 | 1831 | 221551 | 259 | 57382 | 292362.2 | 75.8 | 6188.34 | 790 | 74.18 |
| | | | | sacking (6) --> | | | | 1831 | 221551 | | 57382 | 292362.2 | 75.8 | 6188.34 | 790 | 9.27 |
| | | | | Grand Total : | | | | 1831 | 221551 | | 57382 | 292362.2 | 75.8 | 6188.34 | 790 | 9.27 |

Overseer

Weaving I/C

Asst. Manager.(Fact.)

M.Manager

P.Manager

C.M. Manager

MURLIDHAR RATANLAL EXPORTS LIMITED

UNIT: HASTINGS JUTE MILL

Qualitywise Efficiency Report For 15-JUN-24 to 21-JUN-24

HESSIAN WVG.

02-JUL-24 09:51 AM

Page 2 of 10

Wastage : 0.0

| Shift | T/Hrs | L/Hrs | W/Hrs |
|-------|-------|--------|---------|
| A | 40.00 | - 0.00 | 40.00 |
| B | 40.00 | - 0.00 | 40.00 |
| C | 0.00 | - 0.00 | 0.00 80 |

| Qlty Code | Quality Port | Shot | Specifications Width | Description | R.S. | Laid Lngth | Fin. Lngth | No of Cuts | Total Yds/mtr | Gms/ Yds | Wt in Kg | Total Yds/mtr | Eff% | Total Loom Hour | No of Looms | Kg/ Loom/Hour |
|-----------------------------|--------------|------|----------------------|-------------|------|------------|------------|------------|---------------|----------|--------------|-----------------|-------------|-----------------|-------------|---------------|
| 1459 | 8 | 8 | 48 | HESS CL | 56" | 165 | 155 | 3 | 465 | 221 | 103 | 960.0 | 48.4 | 32.00 | 4 | 25.75 |
| 1932 | 9 | 7 | 48 | HESS CLOTH | 56" | 165 | 155 | 6 | 930 | 221 | 206 | 2194.3 | 42.4 | 64.00 | 8 | 25.75 |
| 1935 | 9 | 7 | 72 | hess cloth | 76" | 170 | 157 | 22 | 3454 | 332 | 1147 | 10392.4 | 33.2 | 352.00 | 44 | 26.07 |
| 1991 | 9 | 8 | 40 | HESS CLOTH | 46" | 165 | 154 | 34 | 5142 | 198 | 1018 | 10266.7 | 50.1 | 320.00 | 40 | 25.45 |
| 1994 | 9 | 8 | 72 | HESS CLOTH | 76" | 170 | 158 | 15 | 2370 | 357 | 846 | 6613.3 | 35.8 | 256.00 | 32 | 26.44 |
| 2402 | 9 | 10 | 43.3 | HESS CLOTH | 52" | 165 | 155 | 45 | 6963 | 249 | 1734 | 14405.3 | 48.3 | 584.00 | 73 | 23.75 |
| 2512 | 9 | 10 | 47.3 | HESS CLOTH | 56" | 165 | 156 | 53 | 8206 | 268 | 2199 | 16320.0 | 50.3 | 680.00 | 85 | 25.87 |
| 2985 | 11 | 9 | 52 | HESS CLOTH | 58" | 165 | 155 | 10 | 1550 | 299 | 463 | 3786.7 | 40.9 | 144.00 | 18 | 25.72 |
| 2991 | 11 | 9 | 34 | HESS CLOTH | 46" | 165 | 154 | 36 | 5511 | 196 | 1080 | 10038.5 | 54.9 | 352.00 | 44 | 24.55 |
| | 11 | 9 | 34 | HESS CLOTH | 52" | 165 | 154 | 55 | 8411 | 196 | 1649 | 14251.9 | 59 | 520.00 | 65 | 25.37 |
| Quality Total --> | | | | | | | | 91 | 13922 | | 2729 | 24290.4 | 57.3 | 872.00 | 109 | 3.13 |
| 3023 | 11 | 10 | 48 | HESS CLOTH | 52" | 165 | 154 | 51 | 7831 | 289 | 2263 | 17168.0 | 45.6 | 696.00 | 87 | 26.01 |
| 3028 | 11 | 10 | 72 | HESS CLOTH | 76" | 165 | 158 | 9 | 1422 | 434 | 617 | 3968.0 | 35.8 | 192.00 | 24 | 25.71 |
| 3150 | 11 | 11 | 54 | HESS CLOTH | 58" | 165 | 154 | 284 | 43736 | 357 | 15614 | 104821.8 | 41.7 | 4872.00 | 609 | 25.64 |
| | 11 | 11 | 54 | HESS CLOTH | 67" | 165 | 154 | 13 | 2002 | 357 | 715 | 4675.2 | 42.8 | 232.00 | 29 | 24.66 |
| Quality Total --> | | | | | | | | 297 | 45738 | | 16329 | 109497.0 | 41.8 | 5104.00 | 638 | 3.20 |
| 3267 | 11 | 12 | 36 | HESS CLOTH | 46" | 165 | 154 | 29 | 4466 | 255 | 1139 | 7357.8 | 60.7 | 344.00 | 43 | 26.49 |
| | 11 | 12 | 36 | HESS CLOTH | 52" | 165 | 154 | 8 | 1232 | 255 | 314 | 1973.3 | 62.4 | 96.00 | 12 | 26.17 |
| Quality Total --> | | | | | | | | 37 | 5698 | | 1453 | 9331.1 | 61.1 | 440.00 | 55 | 3.30 |
| 3397 | 11 | 12 | 70 | HESS CLOTH | 76" | 170 | 158 | 11 | 1738 | 496 | 862 | 4271.1 | 40.7 | 248.00 | 31 | 27.81 |
| 3517 | 11 | 12 | 43.3 | HESS CLOTH | 52" | 165 | 153 | 28 | 4250 | 307 | 1305 | 10031.1 | 42.4 | 488.00 | 61 | 21.39 |
| hessian (1) --> | | | | | | | | 712 | 109679 | | 33274 | 243495.4 | 45 | 10472.00 | 1309 | 3.18 |
| Qlty Code | Quality Port | Shot | Specifications Width | Description | R.S. | Laid Lngth | Fin. Lngth | No of Cuts | Total Yds/mtr | Gms/ Yds | Wt in Kg | Total Yds/mtr | Eff% | Total Loom Hour | No of Looms | Kg/ Loom/Hour |
| 0483 | 5 | 6.5 | 42 | BAILING CL | 52" | 130 | 120 | 40 | 4800 | 510 | 2448 | 8196.9 | 58.6 | 216.00 | 27 | 90.67 |
| 0484 | 5 | 6.5 | 40 | BAILING CL | 52" | 130 | 120 | 37 | 4440 | 486 | 2158 | 7589.8 | 58.5 | 200.00 | 25 | 86.32 |
| --> | | | | | | | | 77 | 9240 | | 4606 | 15786.7 | 58.5 | 416.00 | 52 | 11.07 |
| Grand Total : | | | | | | | | 789 | 118919 | | 37880 | 259282.1 | 45.9 | 10888.00 | 1361 | 3.48 |

Overseer

Weaving I/C

Asst. Manager.(Fact.)

M.Manager

P.Manager

C.M. Manager

MURLIDHAR RATANLAL EXPORTS LIMITED

UNIT: HASTINGS JUTE MILL

Qualitywise Efficiency Report For 15-JUN-24 to 21-JUN-24

MODERN LOOM

02-JUL-24 09:51 AM

Page 3 of 10

Wastage : 0.0

| Shift | T/Hrs | L/Hrs | W/Hrs |
|-------|-------|--------|-------------|
| A | 40.00 | - 0.00 | 40.00 |
| B | 40.00 | - 0.00 | 40.00 |
| C | 37.50 | - 0.00 | 37.50 117.5 |

| Qty Code | Quality Port | Shot | Specifications Width Description | R.S. | Laid Lngth | Fin. Lngth | No of Cuts | Total Yds/mtr | Gms/ Yds | Wt in Kg | Total Yds/mtr | Eff% | Total Loom Hour | No of Looms | Kg/ Loom/Hour |
|-----------------------------|--------------|------|----------------------------------|------|------------|------------|------------|---------------|----------|--------------|----------------|-------------|-----------------|-------------|---------------|
| 1948 | 9 | 7 | 44 HESS CLOTH | 300" | 165 | 155 | 3 | 465 | 203 | 94 | 522.0 | 89.1 | 15.67 | 2 | 47.99 |
| 3150 | 11 | 11 | 54 HESS CLOTH | 300" | 165 | 155 | 340 | 52558 | 357 | 18763 | 54999.0 | 95.6 | 2592.83 | 331 | 57.89 |
| | 11 | 11 | 54 HESS CLOTH | 360" | 165 | 155 | 112 | 17304 | 357 | 6178 | 17944.0 | 96.4 | 846.00 | 108 | 58.42 |
| Quality Total --> | | | | | | | 452 | 69862 | | 24941 | 72943.0 | 95.8 | 3438.83 | 439 | 7.25 |
| 3156 | 11 | 11 | 59 HESS CLOTH | 360" | 165 | 155 | 26 | 4030 | 372 | 1499 | 4486.0 | 89.8 | 211.50 | 27 | 56.70 |
| hessian (1) --> | | | | | | | 481 | 74357 | | 26534 | 77951.0 | 95.4 | 3666.00 | 468 | 7.24 |
| Grand Total : | | | | | | | 481 | 74357 | | 26534 | 77951.0 | 95.4 | 3666.00 | 468 | 7.24 |

Overseer

Weaving I/C

Asst. Manager.(Fact.)

M.Manager

P.Manager

C.M. Manager

MURLIDHAR RATANLAL EXPORTS LIMITED

UNIT: HASTINGS JUTE MILL

Qualitywise Efficiency Report For 15-JUN-24 to 21-JUN-24
S4 IJMD

02-JUL-24 09:51 AM

Page 4 of 10

Wastage : 0.0

| Shift | T/Hrs | L/Hrs | W/Hrs |
|-------|-------|--------|-------|
| A | 40.00 | - 0.00 | 40.00 |
| B | 40.00 | - 0.00 | 40.00 |
| C | 37.50 | - 0.00 | 37.50 |
| | | | 117.5 |

| Qlty Code | Quality Port | Shot | Specifications Width | Description | R.S. | Laid Lngth | Fin. Lngth | No of Cuts | Total Yds/mtr | Gms/ Yds | Wt in Kg | Total Yds/mtr | Eff% | Total Loom Hour | No of Looms | Kg/ Loom/Hour |
|-----------|--------------|------|----------------------|-----------------|------|------------|------------|------------|---------------|----------|----------|---------------|------|-----------------|-------------|---------------|
| G086 | 5 | 7 | 22.4 | GOV.B.TWILL | 36" | 180 | 169 | 1740 | 294060 | 259 | 76162 | 345900.3 | 85 | 5491.16 | 701 | 110.96 |
| | | | | sacking (6) --> | | | | 1740 | 294060 | | 76162 | 345900.3 | 85 | 5491.16 | 701 | 13.87 |
| | | | | Grand Total : | | | | 1740 | 294060 | | 76162 | 345900.3 | 85 | 5491.16 | 701 | 13.87 |

Overseer

Weaving I/C

Asst. Manager.(Fact.)

M.Manager

P.Manager

C.M. Manager

MURLIDHAR RATANLAL EXPORTS LIMITED

UNIT: HASTINGS JUTE MILL

Qualitywise Efficiency Report For 15-JUN-24 to 21-JUN-24
S4 NEW SHED

02-JUL-24 09:51 AM

Page 5 of 10

Wastage : 0.0

| Shift | T/Hrs | L/Hrs | W/Hrs |
|-------|-------|--------|-------|
| A | 40.00 | - 0.00 | 40.00 |
| B | 40.00 | - 0.00 | 40.00 |
| C | 37.50 | - 0.00 | 37.50 |
| | | | 117.5 |

| Qlty Code | Quality Port | Shot | Specifications Width | Description | R.S. | Laid Lngth | Fin. Lngth | No of Cuts | Total Yds/mtr | Gms/ Yds | Wt in Kg | Total Yds/mtr | Eff% | Total Loom Hour | No of Looms | Kg/ Loom/Hour |
|-----------|--------------|------|----------------------|-----------------|------|------------|------------|------------|---------------|----------|----------|---------------|------|-----------------|-------------|---------------|
| G086 | 5 | 7 | 22.4 | GOV.B.TWILL | 36" | 180 | 169 | 1773 | 299637 | 259 | 77606 | 347380.6 | 86.3 | 5514.67 | 704 | 112.58 |
| | | | | sacking (6) --> | | | | 1773 | 299637 | | 77606 | 347380.6 | 86.3 | 5514.67 | 704 | 14.07 |
| | | | | Grand Total : | | | | 1773 | 299637 | | 77606 | 347380.6 | 86.3 | 5514.67 | 704 | 14.07 |

Overseer

Weaving I/C

Asst. Manager.(Fact.)

M.Manager

P.Manager

C.M. Manager

MURLIDHAR RATANLAL EXPORTS LIMITED

UNIT: HASTINGS JUTE MILL

Qualitywise Efficiency Report For 15-JUN-24 to 21-JUN-24
S4LOOM

02-JUL-24 09:51 AM

Page 6 of 10

Wastage : 0.0

| Shift | T/Hrs | L/Hrs | W/Hrs |
|-------|-------|--------|-------|
| A | 40.00 | - 0.00 | 40.00 |
| B | 40.00 | - 0.00 | 40.00 |
| C | 37.50 | - 0.00 | 37.50 |
| | | | 117.5 |

| Qlty Code | Quality Port | Shot | Specifications Width | Description | R.S. | Laid Lngth | Fin. Lngth | No of Cuts | Total Yds/mtr | Gms/ Yds | Wt in Kg | Total Yds/mtr | Eff% | Total Loom Hour | No of Looms | Kg/ Loom/Hour |
|-----------|--------------|------|----------------------|-----------------|------|------------|------------|------------|---------------|----------|----------|---------------|------|-----------------|-------------|---------------|
| G086 | 5 | 7 | 22.4 | GOV.B.TWILL | 36" | 180 | 169 | 2875 | 485875 | 259 | 125842 | 576336.0 | 84.3 | 9149.33 | 1168 | 110.03 |
| | | | | sacking (6) --> | | | | 2875 | 485875 | | 125842 | 576336.0 | 84.3 | 9149.33 | 1168 | 13.75 |
| | | | | Grand Total : | | | | 2875 | 485875 | | 125842 | 576336.0 | 84.3 | 9149.33 | 1168 | 13.75 |

Overseer

Weaving I/C

Asst. Manager.(Fact.)

M.Manager

P.Manager

C.M. Manager

MURLIDHAR RATANLAL EXPORTS LIMITED

UNIT: HASTINGS JUTE MILL

Qualitywise Efficiency Report For 15-JUN-24 to 21-JUN-24
S4LOOM TRAINEE

02-JUL-24 09:51 AM

Page 7 of 10

Wastage : 0.0

| Shift | T/Hrs | L/Hrs | W/Hrs |
|-------|-------|--------|-------|
| A | 40.00 | - 0.00 | 40.00 |
| B | 40.00 | - 0.00 | 40.00 |
| C | 37.50 | - 0.00 | 37.50 |
| | | | 117.5 |

| Qlty Code | Quality Port | Shot | Specifications Width | Description | R.S. | Laid Lngth | Fin. Lngth | No of Cuts | Total Yds/mtr | Gms/ Yds | Wt in Kg | Total Yds/mtr | Eff% | Total Loom Hour | No of Looms | Kg/ Loom/Hour |
|-----------|--------------|------|----------------------|-----------------|------|------------|------------|------------|---------------|----------|----------|---------------|------|-----------------|-------------|---------------|
| G086 | 5 | 7 | 22.4 | GOV.B.TWILL | 36" | 180 | 169 | 400 | 67600 | 259 | 17508 | 80923.9 | 83.5 | 1284.67 | 164 | 109.03 |
| | | | | sacking (6) --> | | | | 400 | 67600 | | 17508 | 80923.9 | 83.5 | 1284.67 | 164 | 13.63 |
| | | | | Grand Total : | | | | 400 | 67600 | | 17508 | 80923.9 | 83.5 | 1284.67 | 164 | 13.63 |

Overseer

Weaving I/C

Asst. Manager.(Fact.)

M.Manager

P.Manager

C.M. Manager

MURLIDHAR RATANLAL EXPORTS LIMITED

UNIT: HASTINGS JUTE MILL

Qualitywise Efficiency Report For 15-JUN-24 to 21-JUN-24
SACKING WVG.

02-JUL-24 09:51 AM

Page 8 of 10

Wastage : 0.0

| Shift | T/Hrs | L/Hrs | W/Hrs |
|-------|-------|--------|-------|
| A | 40.00 | - 0.00 | 40.00 |
| B | 40.00 | - 0.00 | 40.00 |
| C | 0.00 | - 0.00 | 0.00 |

| Qlty Code | Quality Port | Shot | Specifications Width | Description | R.S. | Laid Lngth | Fin. Lngth | No of Cuts | Total Yds/mtr | Gms/ Yds | Wt in Kg | Total Yds/mtr | Eff% | Total Loom Hour | No of Looms | Kg/ Loom/Hour |
|-----------|--------------|------|----------------------|-----------------------------|------|------------|------------|-------------|---------------|----------|---------------|-----------------|-------------|-----------------|-------------|---------------|
| G083 | 5 | 7 | 22.4 | GOV.B.TWILL | 32" | 130 | 126 | 372 | 46872 | 259 | 12140 | 60160.0 | 77.9 | 1504.00 | 188 | 64.57 |
| | 5 | 7 | 22.4 | GOV.B.TWILL | 36" | 130 | 126 | 2697 | 339822 | 259 | 88014 | 428274.3 | 79.3 | 10968.00 | 1371 | 64.20 |
| | | | | Quality Total --> | | | | 3069 | 386694 | | 100154 | 488434.3 | 79.2 | 12472.00 | 1559 | 8.03 |
| G443 | 8 | 9 | 26.5 | L.TWILL | 36" | 130 | 123 | 147 | 18081 | 432 | 7811 | 27697.8 | 65.3 | 912.00 | 114 | 68.52 |
| | | | | sacking (6) --> | | | | 3216 | 404775 | | 107965 | 516132.1 | 78.4 | 13384.00 | 1673 | 8.07 |
| | | | | Grand Total : | | | | 3216 | 404775 | | 107965 | 516132.1 | 78.4 | 13384.00 | 1673 | 8.07 |

Overseer

Weaving I/C

Asst. Manager.(Fact.)

M.Manager

P.Manager

C.M. Manager

MURLIDHAR RATANLAL EXPORTS LIMITED

UNIT: HASTINGS JUTE MILL

Qualitywise Efficiency Report For 15-JUN-24 to 21-JUN-24

SRIRAM

02-JUL-24 09:51 AM

Page 9 of 10

Wastage : 0.0

| Shift | T/Hrs | L/Hrs | W/Hrs |
|-------|-------|--------|-------|
| A | 8.00 | - 0.00 | 8.00 |
| B | 8.00 | - 0.00 | 8.00 |
| C | 7.50 | - 0.00 | 7.50 |
| | | | 23.5 |

| Qlty Code | Quality Port | Shot | Specifications Width | Description | R.S. | Laid Lngth | Fin. Lngth | No of Cuts | Total Yds/mtr | Gms/ Yds | Wt in Kg | Total Yds/mtr | Eff% | Total Loom Hour | No of Looms | Kg/ Loom/Hour |
|-----------|--------------|------|----------------------|-----------------|------|------------|------------|------------|---------------|----------|----------|---------------|-------|-----------------|-------------|---------------|
| G086 | 5 | 7 | 22.4 | GOV.B.TWILL | 36" | 180 | 169 | 350 | 59150 | 259 | 15320 | 43128.1 | 137.1 | 1104.50 | 141 | 110.96 |
| | | | | sacking (6) --> | | | | 350 | 59150 | | 15320 | 43128.1 | 137.1 | 1104.50 | 141 | 13.87 |
| | | | | Grand Total : | | | | 350 | 59150 | | 15320 | 43128.1 | 137.1 | 1104.50 | 141 | 13.87 |

Overseer

Weaving I/C

Asst. Manager.(Fact.)

M.Manager

P.Manager

C.M. Manager

MURLIDHAR RATANLAL EXPORTS LIMITED

UNIT: HASTINGS JUTE MILL

Qualitywise Efficiency Report For 15-JUN-24 to 21-JUN-24

SRIRAM S4LOOM

02-JUL-24 09:51 AM

Page 10 of 10

Wastage : 0.0

| Shift | T/Hrs | L/Hrs | W/Hrs |
|-------|-------|--------|-------|
| A | 32.00 | - 0.00 | 32.00 |
| B | 32.00 | - 0.00 | 32.00 |
| C | 30.00 | - 0.00 | 30.00 |

94

| Qlty Code | Quality Port | Shot | Specifications Width | Description | R.S. | Laid Lngth | Fin. Lngth | No of Cuts | Total Yds/mtr | Gms/ Yds | Wt in Kg | Total Yds/mtr | Eff% | Total Loom Hour | No of Looms | Kg/ Loom/Hour |
|-----------|--------------|------|----------------------|-----------------|------|------------|------------|------------|---------------|----------|----------|---------------|------|-----------------|-------------|---------------|
| G086 | 5 | 7 | 22.4 | GOV.B.TWILL | 36" | 180 | 169 | 1372 | 231868 | 259 | 60054 | 271884.5 | 85.3 | 4316.17 | 551 | 111.31 |
| | | | | sacking (6) --> | | | | 1372 | 231868 | | 60054 | 271884.5 | 85.3 | 4316.17 | 551 | 13.91 |
| | | | | Grand Total : | | | | 1372 | 231868 | | 60054 | 271884.5 | 85.3 | 4316.17 | 551 | 13.91 |

Overseer

Weaving I/C

Asst. Manager.(Fact.)

M.Manager

P.Manager

C.M. Manager

Dy.G.M

G.Manager