

MURLIDHAR RATANLAL EXPORTS LIMITED

UNIT: HASTINGS JUTE MILL

Qualitywise Efficiency Report For 01-JUN-24 to 30-JUN-24

BROAD LOOM

02-JUL-24 02:57 PM

Page 1 of 11

Wastage : 0.0

Shift	T/Hrs	L/Hrs	W/Hrs
A	200.00	- 0.00	200.00
B	200.00	- 0.00	200.00
C	187.50	- 0.00	187.50 587.5

Qlty Code	Quality Port	Shot	Specifications Width Description	R.S.	Laid Lngth	Fin. Lngth	No of Cuts	Total Yds/mtr	Gms/ Yds	Wt in Kg	Total Yds/mtr	Eff%	Total Loom Hour	No of Looms	Kg/ Loom/Hour
G083	5	7	22.4 GOV.B.TWILL	36"	130	121	9390	1136190	259	294273	1486976.4	76.4	31474.37	4018	74.80
			sacking (6) -->				9390	1136190		294273	1486976.4	76.4	31474.37	4018	9.35
			Grand Total :				9390	1136190		294273	1486976.4	76.4	31474.37	4018	9.35

Overseer

Weaving I/C

Asst. Manager.(Fact.)

M.Manager

P.Manager

C.M. Manager

MURLIDHAR RATANLAL EXPORTS LIMITED

UNIT: HASTINGS JUTE MILL

Qualitywise Efficiency Report For 01-JUN-24 to 30-JUN-24  
 HESSIAN WVG.

02-JUL-24 02:57 PM

Page 2 of 11

Wastage : 0.0

Shift	T/Hrs	L/Hrs	W/Hrs
A	200.00	- 0.00	200.00
B	200.00	- 0.00	200.00
C	0.00	- 0.00	0.00 400

Qlty Code	Quality		Specifications		R.S.	Laid Lngth	Fin. Lngth	No of Cuts	Total Yds/mtr	Gms/ Yds	Wt in Kg	Total Yds/mtr	Eff%	Total Loom Hour	No of Looms	Kg/ Loom/Hour
	Port	Shot	Width	Description												
1459	8	8	48	HESS CL	56"	165	155	3	465	221	103	960.0	48.4	32.00	4	25.75
1931	9	7	45	HESS CLOTH	52"	165	155	60	9216	207	1908	20861.0	44.2	592.00	74	25.78
1932	9	7	48	HESS CLOTH	52"	165	158	31	4842	221	1070	11840.0	40.9	336.00	42	25.48
	9	7	48	HESS CLOTH	56"	165	155	6	930	221	206	2194.3	42.4	64.00	8	25.75
	<b>Quality Total --&gt;</b>							<b>37</b>	<b>5772</b>		<b>1276</b>	<b>14034.3</b>	<b>41.1</b>	<b>400.00</b>	<b>50</b>	<b>3.19</b>
1935	9	7	72	hess cloth	76"	170	158	82	12802	332	4250	36845.7	34.7	1248.00	156	27.24
1936	9	7	60	hess cloth	76"	165	156	6	936	276	258	2361.9	39.6	80.00	10	25.80
1991	9	8	40	HESS CLOTH	46"	165	154	41	6220	198	1232	12320.0	50.5	384.00	48	25.67
	9	8	40	HESS CLOTH	52"	165	154	35	5290	198	1047	10360.0	51.1	336.00	42	24.93
	<b>Quality Total --&gt;</b>							<b>76</b>	<b>11510</b>		<b>2279</b>	<b>22680.0</b>	<b>50.7</b>	<b>720.00</b>	<b>90</b>	<b>3.17</b>
1994	9	8	72	HESS CLOTH	76"	170	158	143	22594	357	8066	60553.3	37.3	2344.00	293	27.53
1999	9	8	48	HESS CLOTH	52"	165	154	30	4620	238	1100	10853.3	42.6	352.00	44	25.00
	9	8	48	HESS CLOTH	58"	165	154	9	1386	238	330	2840.0	48.8	96.00	12	27.50
	<b>Quality Total --&gt;</b>							<b>39</b>	<b>6006</b>		<b>1430</b>	<b>13693.3</b>	<b>43.9</b>	<b>448.00</b>	<b>56</b>	<b>3.19</b>
2002	9	8	54	HESS CLOTH	58"	165	154	2	308	268	83	710.0	43.4	24.00	3	27.67
2385	9	10	45	HESS CLOTH	52"	165	154	12	1848	255	471	3354.7	55.1	136.00	17	27.71
	9	10	45	HESS CLOTH	56"	165	154	10	1540	255	393	2880.0	53.5	120.00	15	26.20
	<b>Quality Total --&gt;</b>							<b>22</b>	<b>3388</b>		<b>864</b>	<b>6234.7</b>	<b>54.3</b>	<b>256.00</b>	<b>32</b>	<b>3.38</b>
2402	9	10	43.3	HESS CLOTH	52"	165	155	118	18232	249	4540	37296.0	48.9	1512.00	189	24.02
	9	10	43.3	HESS CLOTH	58"	165	155	3	465	249	116	946.7	49.1	40.00	5	23.20
	<b>Quality Total --&gt;</b>							<b>121</b>	<b>18697</b>		<b>4656</b>	<b>38242.7</b>	<b>48.9</b>	<b>1552.00</b>	<b>194</b>	<b>3.00</b>
2512	9	10	47.3	HESS CLOTH	56"	165	156	207	32067	268	8594	65088.0	49.3	2712.00	339	25.35
2985	11	9	52	HESS CLOTH	56"	165	153	5	765	299	229	1706.7	44.8	64.00	8	28.63
	11	9	52	HESS CLOTH	58"	165	156	27	4194	299	1254	10518.5	39.9	400.00	50	25.08
	<b>Quality Total --&gt;</b>							<b>32</b>	<b>4959</b>		<b>1483</b>	<b>12225.2</b>	<b>40.6</b>	<b>464.00</b>	<b>58</b>	<b>3.20</b>
2987	11	9	54	HESS CLOTH	58"	165	153	2	306	311	95	841.5	36.4	32.00	4	23.75
2991	11	9	34	HESS CLOTH	46"	165	156	88	13589	196	2663	24183.7	56.2	848.00	106	25.12
	11	9	34	HESS CLOTH	52"	165	156	170	26269	196	5149	45167.4	58.2	1648.00	206	25.00
	<b>Quality Total --&gt;</b>							<b>258</b>	<b>39858</b>		<b>7812</b>	<b>69351.1</b>	<b>57.5</b>	<b>2496.00</b>	<b>312</b>	<b>3.13</b>
2992	11	9	60	HESS CLOTH	67"	165	155	2	310	345	107	788.2	39.3	32.00	4	26.75
2994	11	9	72	HESS CLOTH	76"	165	160	36	5676	414	2350	14880.0	38.1	648.00	81	29.01
3023	11	10	48	HESS CLOTH	52"	165	156	226	34838	289	10068	81696.0	42.6	3312.00	414	24.32
	11	10	48	HESS CLOTH	58"	165	153	4	612	289	177	1136.0	53.9	48.00	6	29.50
	<b>Quality Total --&gt;</b>							<b>230</b>	<b>35450</b>		<b>10245</b>	<b>82832.0</b>	<b>42.8</b>	<b>3360.00</b>	<b>420</b>	<b>3.05</b>
3028	11	10	72	HESS CLOTH	76"	165	158	32	5056	434	2194	14714.7	34.4	712.00	89	24.65
3030	11	10	40	HESS CLOTH	46"	165	156	60	9229	241	2224	18480.0	49.9	720.00	90	24.71
	11	10	40	HESS CLOTH	52"	165	156	79	12156	241	2930	24864.0	48.9	1008.00	126	23.25
	<b>Quality Total --&gt;</b>							<b>139</b>	<b>21385</b>		<b>5154</b>	<b>43344.0</b>	<b>49.3</b>	<b>1728.00</b>	<b>216</b>	<b>2.98</b>
3115	11	11	45	HESS CLOTH	52"	165	156	230	35580	312	11101	73192.7	48.6	3264.00	408	27.21
	11	11	45	HESS CLOTH	58"	165	156	330	50924	312	15888	103100.6	49.4	4792.00	599	26.52
	<b>Quality Total --&gt;</b>							<b>560</b>	<b>86504</b>		<b>26989</b>	<b>176293.3</b>	<b>49.1</b>	<b>8056.00</b>	<b>1007</b>	<b>3.35</b>
3150	11	11	54	HESS CLOTH	58"	165	156	1182	181461	357	64782	442695.8	41	20576.00	2572	25.19

MURLIDHAR RATANLAL EXPORTS LIMITED

UNIT: HASTINGS JUTE MILL

Qualitywise Efficiency Report For 01-JUN-24 to 30-JUN-24

HESSIAN WVG.

02-JUL-24 02:57 PM

Page 3 of 11

Wastage : 0.0

Shift	T/Hrs	L/Hrs	W/Hrs
A	200.00	- 0.00	200.00
B	200.00	- 0.00	200.00
C	0.00	- 0.00	0.00 400

Qlty Code	Quality Port	Shot	Specifications Width	Description	R.S.	Laid Lngth	Fin. Lngth	No of Cuts	Total Yds/mtr	Gms/ Yds	Wt in Kg	Total Yds/mtr	Eff%	Total Loom Hour	No of Looms	Kg/ Loom/Hour
3150	11	11	54	HESS CLOTH	67"	165	156	80	12294	357	4389	28695.8	42.8	1424.00	178	24.66
<b>Quality Total --&gt;</b>									<b>1262</b>	<b>193755</b>	<b>69171</b>	<b>471391.6</b>	<b>41.1</b>	<b>22000.00</b>	<b>2750</b>	<b>3.14</b>
3197	11	12	40	HESS CLOTH	46"	165	154	18	2768	284	786	5304.5	52.2	248.00	31	25.35
3227	11	12	33	HESS CLOTH	46"	165	156	68	10447	234	2445	14715.6	71	688.00	86	28.43
	11	12	33	HESS CLOTH	52"	165	156	20	3077	234	720	4768.9	64.5	232.00	29	24.83
<b>Quality Total --&gt;</b>									<b>88</b>	<b>13524</b>	<b>3165</b>	<b>19484.5</b>	<b>69.4</b>	<b>920.00</b>	<b>115</b>	<b>3.44</b>
3258	11	12	52	HESS CLOTH	58"	165	155	18	2790	369	1030	6784.4	41.1	344.00	43	23.95
3267	11	12	36	HESS CLOTH	46"	165	154	59	9037	255	2304	14715.6	61.4	688.00	86	26.79
	11	12	36	HESS CLOTH	52"	165	154	44	6695	255	1707	11017.8	60.8	536.00	67	25.48
<b>Quality Total --&gt;</b>									<b>103</b>	<b>15732</b>	<b>4011</b>	<b>25733.4</b>	<b>61.1</b>	<b>1224.00</b>	<b>153</b>	<b>3.28</b>
3367	11	12	50	HESS CLOTH	58"	165	157	74	11478	354	4063	25717.8	44.6	1304.00	163	24.93
3397	11	12	70	HESS CLOTH	76"	170	158	46	7266	496	3604	16946.7	42.9	984.00	123	29.30
3517	11	12	43.3	HESS CLOTH	52"	165	156	123	18975	307	5825	43906.7	43.2	2136.00	267	21.82
5803	8	6	54	HESS CL	58"	165	155	108	16721	210	3511	40391.1	41.4	1024.00	128	27.43
	8	6	54	HESS CL	67"	165	155	29	4495	210	944	10935.6	41.1	296.00	37	25.51
<b>Quality Total --&gt;</b>									<b>137</b>	<b>21216</b>	<b>4455</b>	<b>51326.7</b>	<b>41.3</b>	<b>1320.00</b>	<b>165</b>	<b>3.38</b>
<b>hessian (1) --&gt;</b>									<b>3958</b>	<b>610769</b>	<b>186306</b>	<b>1364131.2</b>	<b>44.8</b>	<b>58416.00</b>	<b>7302</b>	<b>3.19</b>
Qlty Code	Quality Port	Shot	Specifications Width	Description	R.S.	Laid Lngth	Fin. Lngth	No of Cuts	Total Yds/mtr	Gms/ Yds	Wt in Kg	Total Yds/mtr	Eff%	Total Loom Hour	No of Looms	Kg/ Loom/Hour
0482	5	6.5	36	BAILING CL	46"	130	120	5	600	437	262	947.7	63.3	24.00	3	87.33
	5	6.5	36	BAILING CL	52"	130	120	33	3960	437	1731	5768.2	68.7	152.00	19	91.11
<b>Quality Total --&gt;</b>									<b>38</b>	<b>4560</b>	<b>1993</b>	<b>6715.9</b>	<b>67.9</b>	<b>176.00</b>	<b>22</b>	<b>11.32</b>
0483	5	6.5	42	BAILING CL	52"	130	120	131	15720	510	8017	25805.2	60.9	680.00	85	94.32
0484	5	6.5	40	BAILING CL	46"	130	120	10	1200	486	583	1895.4	63.3	48.00	6	97.17
	5	6.5	40	BAILING CL	52"	130	120	153	18360	486	8923	29144.6	63	768.00	96	92.95
<b>Quality Total --&gt;</b>									<b>163</b>	<b>19560</b>	<b>9506</b>	<b>31040.0</b>	<b>63</b>	<b>816.00</b>	<b>102</b>	<b>11.65</b>
<b>--&gt;</b>									<b>332</b>	<b>39840</b>	<b>19516</b>	<b>63561.1</b>	<b>62.7</b>	<b>1672.00</b>	<b>209</b>	<b>11.67</b>
<b>Grand Total :</b>									<b>4290</b>	<b>650609</b>	<b>205822</b>	<b>1427692.3</b>	<b>45.6</b>	<b>60088.00</b>	<b>7511</b>	<b>3.43</b>

Overseer

Weaving I/C

Asst. Manager.(Fact.)

M.Manager

P.Manager

C.M. Manager

MURLIDHAR RATANLAL EXPORTS LIMITED

UNIT: HASTINGS JUTE MILL

Qualitywise Efficiency Report For 01-JUN-24 to 30-JUN-24

MODERN LOOM

02-JUL-24 02:57 PM

Page 4 of 11

Wastage : 0.0

Shift	T/Hrs	L/Hrs	W/Hrs
A	200.00	- 0.00	200.00
B	200.00	- 0.00	200.00
C	187.50	- 0.00	187.50 587.5

Qlty Code	Quality Port	Shot	Specifications Width Description	R.S.	Laid Lngth	Fin. Lngth	No of Cuts	Total Yds/mtr	Gms/ Yds	Wt in Kg	Total Yds/mtr	Eff%	Total Loom Hour	No of Looms	Kg/ Loom/Hour
1399	8	7	54 HESSIAN CL	300"	165	146	7	1022	230	235	1306.0	78.3	39.17	5	48.00
1948	9	7	44 HESS CLOTH	300"	165	158	190	29429	203	5974	29505.0	99.7	885.16	113	53.99
2300	9	9	44 HESS CLOTH	300"	165	157	547	84759	234	19834	67831.0	125	2616.33	334	60.65
3150	11	11	54 HESS CLOTH	300"	165	157	1229	190458	357	67994	191750.0	99.3	9039.67	1154	60.17
	11	11	54 HESS CLOTH	360"	165	157	737	114295	357	40803	118302.0	96.6	5577.33	712	58.53
<b>Quality Total --&gt;</b>							<b>1966</b>	<b>304753</b>		<b>108797</b>	<b>310052.0</b>	<b>98.3</b>	<b>14617.00</b>	<b>1866</b>	<b>7.44</b>
3156	11	11	59 HESS CLOTH	360"	165	155	26	4030	372	1499	4486.0	89.8	211.50	27	56.70
<b>hessian (1) --&gt;</b>							<b>2736</b>	<b>423993</b>		<b>136339</b>	<b>413180.0</b>	<b>102.6</b>	<b>18369.16</b>	<b>2345</b>	<b>7.42</b>
<b>Grand Total :</b>							<b>2736</b>	<b>423993</b>		<b>136339</b>	<b>413180.0</b>	<b>102.6</b>	<b>18369.16</b>	<b>2345</b>	<b>7.42</b>

Overseer

Weaving I/C

Asst. Manager.(Fact.)

M.Manager

P.Manager

C.M. Manager

MURLIDHAR RATANLAL EXPORTS LIMITED

UNIT: HASTINGS JUTE MILL

Qualitywise Efficiency Report For 01-JUN-24 to 30-JUN-24  
S4 IJMD

02-JUL-24 02:57 PM

Page 5 of 11

Wastage : 0.0

Shift	T/Hrs	L/Hrs	W/Hrs
A	200.00	- 0.00	200.00
B	200.00	- 0.00	200.00
C	187.50	- 0.00	187.50 587.5

Qlty Code	Quality Port	Shot	Specifications Width	Description	R.S.	Laid Lngth	Fin. Lngth	No of Cuts	Total Yds/mtr	Gms/ Yds	Wt in Kg	Total Yds/mtr	Eff%	Total Loom Hour	No of Looms	Kg/ Loom/Hour
G086	5	7	22.4	GOV.B.TWILL	36"	180	169	8673	1465737	259	379626	1731968.4	84.6	27495.01	3510	110.46
				sacking (6) -->				8673	1465737		379626	1731968.4	84.6	27495.01	3510	13.81
				Grand Total :				8673	1465737		379626	1731968.4	84.6	27495.01	3510	13.81

Overseer

Weaving I/C

Asst. Manager.(Fact.)

M.Manager

P.Manager

C.M. Manager

MURLIDHAR RATANLAL EXPORTS LIMITED

UNIT: HASTINGS JUTE MILL

Qualitywise Efficiency Report For 01-JUN-24 to 30-JUN-24

S4 NEW SHED

02-JUL-24 02:57 PM

Page 6 of 11

Wastage : 0.0

Shift	T/Hrs	L/Hrs	W/Hrs
A	200.00	- 0.00	200.00
B	200.00	- 0.00	200.00
C	187.50	- 0.00	187.50
			587.5

Qlty Code	Quality Port	Shot	Specifications Width	Description	R.S.	Laid Lngth	Fin. Lngth	No of Cuts	Total Yds/mtr	Gms/ Yds	Wt in Kg	Total Yds/mtr	Eff%	Total Loom Hour	No of Looms	Kg/ Loom/Hour
G086	5	7	22.4	GOV.B.TWILL	36"	180	169	8792	1485848	259	384835	1743317.5	85.2	27675.18	3533	111.24
				sacking (6) -->				8792	1485848		384835	1743317.5	85.2	27675.18	3533	13.91
				Grand Total :				8792	1485848		384835	1743317.5	85.2	27675.18	3533	13.91

Overseer

Weaving I/C

Asst. Manager.(Fact.)

M.Manager

P.Manager

C.M. Manager

MURLIDHAR RATANLAL EXPORTS LIMITED

UNIT: HASTINGS JUTE MILL

Qualitywise Efficiency Report For 01-JUN-24 to 30-JUN-24  
S4LOOM

02-JUL-24 02:57 PM

Page 7 of 11

Wastage : 0.0

Shift	T/Hrs	L/Hrs	W/Hrs
A	200.00	- 0.00	200.00
B	200.00	- 0.00	200.00
C	187.50	- 0.00	187.50
			587.5

Qlty Code	Quality Port	Shot	Specifications Width	Description	R.S.	Laid Lngth	Fin. Lngth	No of Cuts	Total Yds/mtr	Gms/ Yds	Wt in Kg	Total Yds/mtr	Eff%	Total Loom Hour	No of Looms	Kg/ Loom/Hour
G086	5	7	22.4	GOV.B.TWILL	36"	180	169	14933	2523677	259	653632	2992703.5	84.3	47509.13	6065	110.06
				sacking (6) -->				14933	2523677		653632	2992703.5	84.3	47509.13	6065	13.76
				Grand Total :				14933	2523677		653632	2992703.5	84.3	47509.13	6065	13.76

Overseer

Weaving I/C

Asst. Manager.(Fact.)

M.Manager

P.Manager

C.M. Manager

MURLIDHAR RATANLAL EXPORTS LIMITED

UNIT: HASTINGS JUTE MILL

Qualitywise Efficiency Report For 01-JUN-24 to 30-JUN-24  
S4LOOM TRAINEE

02-JUL-24 02:57 PM

Page 8 of 11

Wastage : 0.0

Shift	T/Hrs	L/Hrs	W/Hrs
A	200.00	- 0.00	200.00
B	200.00	- 0.00	200.00
C	187.50	- 0.00	187.50
			587.5

Qlty Code	Quality Port	Shot	Specifications Width	Description	R.S.	Laid Lngth	Fin. Lngth	No of Cuts	Total Yds/mtr	Gms/ Yds	Wt in Kg	Total Yds/mtr	Eff%	Total Loom Hour	No of Looms	Kg/ Loom/Hour
G086	5	7	22.4	GOV.B.TWILL	36"	180	169	2069	349661	259	90562	416955.3	83.9	6619.17	845	109.45
				sacking (6) -->				2069	349661		90562	416955.3	83.9	6619.17	845	13.68
				Grand Total :				2069	349661		90562	416955.3	83.9	6619.17	845	13.68

Overseer

Weaving I/C

Asst. Manager.(Fact.)

M.Manager

P.Manager

C.M. Manager



MURLIDHAR RATANLAL EXPORTS LIMITED

UNIT: HASTINGS JUTE MILL

Qualitywise Efficiency Report For 01-JUN-24 to 30-JUN-24  
SACKING WVG.

02-JUL-24 02:57 PM

Page 9 of 11

Wastage : 0.0

Shift	T/Hrs	L/Hrs	W/Hrs
A	200.00	- 0.00	200.00
B	200.00	- 0.00	200.00
C	0.00	- 0.00	0.00 400

Qlty Code	Quality	Port	Shot	Specifications	Width	Description	R.S.	Laid Lngth	Fin. Lngth	No of Cuts	Total Yds/mtr	Gms/ Yds	Wt in Kg	Total Yds/mtr	Eff%	Total Loom Hour	No of Looms	Kg/ Loom/Hour
G067		5	6.5	40	S.BALING C		46"	130	120	37	4440	486	2158	6318.0	70.3	160.00	20	107.90
					hessian (1) -->					37	4440		2158	6318.0	70.3	160.00	20	13.49
G083		5	7	22.4	GOV.B.TWILL		32"	130	126	1999	251874	259	65235	319360.0	78.9	7984.00	998	65.37
		5	7	22.4	GOV.B.TWILL		36"	130	126	14071	1772946	259	459193	2209158.1	80.3	56576.00	7072	64.93
					Quality Total -->					16070	2024820		524428	2528518.1	80.1	64560.00	8070	8.12
G443		8	9	26.5	L.TWILL		36"	130	153	1619	202857	432	87634	255354.1	79.4	8408.00	1051	83.38
					sacking (6) -->					17689	2227677		612062	2783872.2	80	72968.00	9121	8.39
					Grand Total :					17726	2232117		614220	2790190.2	80	73128.00	9141	8.40

Overseer

Weaving I/C

Asst. Manager.(Fact.)

M.Manager

P.Manager

C.M. Manager

MURLIDHAR RATANLAL EXPORTS LIMITED

UNIT: HASTINGS JUTE MILL

Qualitywise Efficiency Report For 01-JUN-24 to 30-JUN-24

SRIRAM

02-JUL-24 02:57 PM

Page 10 of 11

Wastage : 0.0

Shift	T/Hrs	L/Hrs	W/Hrs
A	24.00	- 0.00	24.00
B	24.00	- 0.00	24.00
C	22.50	- 0.00	22.50 70.5

Qlty Code	Quality Port	Shot	Specifications Width	Description	R.S.	Laid Lngth	Fin. Lngth	No of Cuts	Total Yds/mtr	Gms/ Yds	Wt in Kg	Total Yds/mtr	Eff%	Total Loom Hour	No of Looms	Kg/ Loom/Hour
G086	5	7	22.4	GOV.B.TWILL	36"	180	169	1037	175253	259	45391	129384.3	135.5	3313.50	423	109.59
				sacking (6) -->				1037	175253		45391	129384.3	135.5	3313.50	423	13.70
				Grand Total :				1037	175253		45391	129384.3	135.5	3313.50	423	13.70

Overseer

Weaving I/C

Asst. Manager.(Fact.)

M.Manager

P.Manager

C.M. Manager

MURLIDHAR RATANLAL EXPORTS LIMITED

UNIT: HASTINGS JUTE MILL

Qualitywise Efficiency Report For 01-JUN-24 to 30-JUN-24

SRIRAM S4LOOM

02-JUL-24 02:57 PM

Page 11 of 11

Wastage : 0.0

Shift	T/Hrs	L/Hrs	W/Hrs
A	176.00	- 0.00	176.00
B	176.00	- 0.00	176.00
C	165.00	- 0.00	165.00 517

Qlty Code	Quality Port	Shot	Specifications Width	Description	R.S.	Laid Lngth	Fin. Lngth	No of Cuts	Total Yds/mtr	Gms/ Yds	Wt in Kg	Total Yds/mtr	Eff%	Total Loom Hour	No of Looms	Kg/ Loom/Hour
G086	5	7	22.4	GOV.B.TWILL	36"	180	169	7618	1287442	259	333448	1523737.5	84.5	24189.34	3088	110.28
				sacking (6) -->				7618	1287442		333448	1523737.5	84.5	24189.34	3088	13.78
				Grand Total :				7618	1287442		333448	1523737.5	84.5	24189.34	3088	13.78

Overseer

Weaving I/C

Asst. Manager.(Fact.)

M.Manager

P.Manager

C.M. Manager

Dy.G.M

G.Manager