

MURLIDHAR RATANLAL EXPORTS LIMITED

UNIT: GONDALPARA JUTE MILL

Sacking Cuts Production Entry Report

Production on 30-JUN-24 of Dept: Sacking Weaving

Effi. From .01 To 1111.9

| Sect | Shift | Line | Mac No | Reed Sp | Quality | Prodn | Eff Lb No. |
|------|-------|------|----------------------|-----------|-----------------------------|--------------|--------------|
| 33 | B | 1 | S-LOOM/009 | 32 | 33 5 X 7 - 22.5" / 9.14 OZS | 2.03 | 86.35 |
| | | | S-LOOM/010 | 32 | 33 5 X 7 - 22.5" / 9.14 OZS | 1.13 | 71.54 |
| | | | S-LOOM/011 | 32 | 33 5 X 7 - 22.5" / 9.14 OZS | 2 | 78.95 |
| | | | S-LOOM/016 | 32 | 33 5 X 7 - 22.5" / 9.14 OZS | 2.04 | 88.81 |
| | | | S-LOOM/017 | 32 | 33 5 X 7 - 22.5" / 9.14 OZS | 2.04 | 88.81 |
| | | | S-LOOM/018 | 32 | 33 5 X 7 - 22.5" / 9.14 OZS | 2.02 | 83.88 |
| | | | S-LOOM/037 | 32 | 33 5 X 7 - 22.5" / 9.14 OZS | 2.04 | 88.81 |
| | | | S-LOOM/038 | 32 | 33 5 X 7 - 22.5" / 9.14 OZS | 2.02 | 83.88 |
| | | | S-LOOM/039 | 32 | 33 5 X 7 - 22.5" / 9.14 OZS | 1.13 | 71.54 |
| | | | S-LOOM/040 | 32 | 33 5 X 7 - 22.5" / 9.14 OZS | 1.15 | 76.48 |
| | | | S-LOOM/041 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 1.15 | 78.82 |
| | | | S-LOOM/042 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 2.03 | 88.99 |
| | | | S-LOOM/043 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 2.01 | 83.91 |
| | | | S-LOOM/044 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 2.03 | 88.99 |
| | | | S-LOOM/045 | 32 | 33 5 X 7 - 22.5" / 9.14 OZS | 1.12 | 69.08 |
| | | | S-LOOM/046 | 32 | 33 5 X 7 - 22.5" / 9.14 OZS | 1.12 | 69.08 |
| | | | S-LOOM/047 | 32 | 33 5 X 7 - 22.5" / 9.14 OZS | 2.04 | 88.81 |
| | | | S-LOOM/048 | 32 | 33 5 X 7 - 22.5" / 9.14 OZS | 2.03 | 86.35 |
| | | | S-LOOM/069 | 32 | 33 5 X 7 - 22.5" / 9.14 OZS | 1.11 | 66.61 |
| | | | S-LOOM/070 | 32 | 33 5 X 7 - 22.5" / 9.14 OZS | 1.1 | 64.14 |
| | | | S-LOOM/071 | 32 | 33 5 X 7 - 22.5" / 9.14 OZS | 2.04 | 88.81 |
| | | | S-LOOM/072 | 32 | 33 5 X 7 - 22.5" / 9.14 OZS | 1.14 | 74.01 |
| | | | S-LOOM/073 | 32 | 33 5 X 7 - 22.5" / 9.14 OZS | 2.04 | 88.81 |
| | | | S-LOOM/074 | 32 | 33 5 X 7 - 22.5" / 9.14 OZS | 2.03 | 86.35 |
| | | | S-LOOM/075 | 32 | 33 5 X 7 - 22.5" / 9.14 OZS | 2.04 | 88.81 |
| | | | S-LOOM/076 | 32 | 33 5 X 7 - 22.5" / 9.14 OZS | 2.03 | 86.35 |
| | | | S-LOOM/101 | 32 | 33 5 X 7 - 22.5" / 9.14 OZS | 1.13 | 71.54 |
| | | | S-LOOM/102 | 32 | 33 5 X 7 - 22.5" / 9.14 OZS | 2.04 | 88.81 |
| | | | S-LOOM/103 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 1.15 | 78.82 |
| | | | S-LOOM/104 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 1.15 | 78.82 |
| | | | 1 Line Total: | 30 | | 61.31 | 81.17 |
| 10 | | | S-LOOM/401 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 1.12 | 71.20 |
| | | | S-LOOM/402 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 1.14 | 76.28 |
| | | | S-LOOM/403 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 1.15 | 78.82 |
| | | | S-LOOM/404 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 2.03 | 88.99 |
| | | | S-LOOM/405 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 1.13 | 73.74 |
| | | | S-LOOM/406 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 2.02 | 86.45 |
| | | | S-LOOM/407 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 1.08 | 61.03 |
| | | | S-LOOM/408 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 1.14 | 76.28 |
| | | | S-LOOM/409 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 1.13 | 73.74 |
| | | | S-LOOM/410 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 1.12 | 71.20 |
| | | | S-LOOM/411 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 2.04 | 91.54 |
| | | | S-LOOM/412 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 1.1 | 66.11 |
| | | | S-LOOM/413 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 1.12 | 71.20 |
| | | | S-LOOM/414 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 2.02 | 86.45 |
| | | | S-LOOM/415 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 1.14 | 76.28 |
| | | | S-LOOM/418 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 1.1 | 66.11 |
| | | | S-LOOM/419 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 1.14 | 76.28 |
| | | | S-LOOM/422 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 1.15 | 78.82 |
| | | | S-LOOM/423 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | .12 | 81.37 |
| | | | S-LOOM/426 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | .12 | 81.37 |

MURLIDHAR RATANLAL EXPORTS LIMITED

UNIT: GONDALPARA JUTE MILL

Sacking Cuts Production Entry Report

Production on 30-JUN-24 of Dept: Sacking Weaving

Effi. From .01 To 1111.9

| Sect | Shift | Line | Mac No | Reed Sp | Quality | Prodn | Eff Lb No. |
|------|-------|------|----------------|---------|-----------------------------|-------|------------|
| 33 | B | 10 | 10 Line Total: | 20 | | 35.19 | 76.66 |
| | | 11 | S-LOOM/457 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 2.01 | 83.91 |
| | | | S-LOOM/459 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 1.12 | 71.20 |
| | | | S-LOOM/462 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 2 | 81.37 |
| | | | S-LOOM/464 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 1.08 | 61.03 |
| | | | 11 Line Total: | 4 | | 7.31 | 74.38 |
| | | 4 | S-LOOM/100 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 1.13 | 73.74 |
| | | | S-LOOM/105 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | .11 | 74.59 |
| | | | S-LOOM/106 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | .13 | 88.15 |
| | | | S-LOOM/127 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 1.15 | 78.82 |
| | | | S-LOOM/128 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 2 | 81.37 |
| | | | S-LOOM/129 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 1.15 | 78.82 |
| | | | S-LOOM/130 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 2 | 81.37 |
| | | | S-LOOM/131 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 1.11 | 68.65 |
| | | | S-LOOM/132 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 1.15 | 78.82 |
| | | | S-LOOM/133 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 1.15 | 78.82 |
| | | | S-LOOM/134 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 1.13 | 73.74 |
| | | | S-LOOM/155 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 1.15 | 78.82 |
| | | | S-LOOM/156 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 1.12 | 71.20 |
| | | | S-LOOM/157 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 1.08 | 61.03 |
| | | | S-LOOM/158 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 1.11 | 68.65 |
| | | | S-LOOM/159 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 2.01 | 83.91 |
| | | | S-LOOM/160 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 1.09 | 63.57 |
| | | | 4 Line Total: | 17 | | 29.06 | 75.53 |
| | | 8 | S-LOOM/181 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 1.09 | 63.57 |
| | | | S-LOOM/182 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 1.08 | 61.03 |
| | | | S-LOOM/183 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 1.08 | 61.03 |
| | | | S-LOOM/184 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 2.01 | 83.91 |
| | | | S-LOOM/185 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 2 | 81.37 |
| | | | S-LOOM/198 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 1.12 | 71.20 |
| | | | S-LOOM/199 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 1.04 | 81.37 |
| | | | S-LOOM/200 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 1.01 | 69.16 |
| | | | S-LOOM/201 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 1.12 | 71.20 |
| | | | S-LOOM/202 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 1.09 | 63.57 |
| | | | S-LOOM/226 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 1.08 | 61.03 |
| | | | S-LOOM/233 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 1.13 | 73.74 |
| | | | S-LOOM/441 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 1.12 | 71.20 |
| | | | S-LOOM/442 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 1.15 | 78.82 |
| | | | S-LOOM/483 | 52 | 33 5 X 7 - 22.5" / 9.14 OZS | 1.12 | 78.41 |
| | | | 8 Line Total: | 15 | | 24.75 | 71.37 |
| | | 9 | S-LOOM/381 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 1.13 | 73.74 |
| | | | S-LOOM/382 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 2.01 | 83.91 |
| | | | S-LOOM/383 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 2.04 | 91.54 |
| | | | S-LOOM/384 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 1.08 | 61.03 |
| | | | S-LOOM/385 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | .13 | 88.15 |
| | | | S-LOOM/386 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | .12 | 81.37 |
| | | | S-LOOM/387 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 2 | 81.37 |
| | | | S-LOOM/388 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 2 | 81.37 |
| | | | S-LOOM/389 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 2.02 | 86.45 |
| | | | S-LOOM/390 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 1.15 | 78.82 |
| | | | S-LOOM/391 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 2.02 | 86.45 |

MURLIDHAR RATANLAL EXPORTS LIMITED

UNIT: GONDALPARA JUTE MILL

Sacking Cuts Production Entry Report

Production on 30-JUN-24 of Dept: Sacking Weaving

Effi. From .01 To 1111.9

| Sect | Shift | Line | Mac No | Reed Sp | Quality | Prodn | Eff Lb No. |
|------|-------|------|----------------------|-----------|-----------------------------|--------------|--------------|
| 33 | B | 9 | S-LOOM/392 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 1.15 | 78.82 |
| | | | S-LOOM/393 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 2.01 | 83.91 |
| | | | S-LOOM/394 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 1.12 | 71.20 |
| | | | S-LOOM/395 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 2.04 | 91.54 |
| | | | S-LOOM/396 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 1.13 | 73.74 |
| | | | S-LOOM/397 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | .13 | 88.15 |
| | | | S-LOOM/399 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 1.04 | 81.37 |
| | | | S-LOOM/400 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 1.14 | 76.28 |
| | | | S-LOOM/433 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 1.11 | 68.65 |
| | | | S-LOOM/434 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 1.13 | 73.74 |
| | | | S-LOOM/435 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 2 | 81.37 |
| | | | S-LOOM/436 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 1.15 | 78.82 |
| | | | S-LOOM/443 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 1.15 | 78.82 |
| | | | S-LOOM/444 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 1.12 | 71.20 |
| | | | S-LOOM/445 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 1.1 | 66.11 |
| | | | S-LOOM/446 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 1.15 | 78.82 |
| | | | S-LOOM/447 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 1.1 | 66.11 |
| | | | S-LOOM/448 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 1.15 | 78.82 |
| | | | S-LOOM/475 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 1.08 | 61.03 |
| | | | S-LOOM/476 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 2.01 | 83.91 |
| | | | 9 Line Total: | 31 | | 54.94 | 78.28 |
| | | | B Shift Total: | 117 | | 213 | 77.32 |
| 33 | | | Section Total: | 117 | | 212.56 | 77.32 |