

MURLIDHAR RATANLAL EXPORTS LIMITED

UNIT: GONDALPARA JUTE MILL

Sacking Cuts Production Entry Report

Production on 23-JUN-24 of Dept: Sacking Weaving

Effi. From .01 To 1111.9

Sect	Shift	Line	Mac No	Reed Sp	Quality	Prodn	Eff Lb No.
33	A	1	S-LOOM/009	32	33 5 X 7 - 22.5" / 9.14 OZS	1.15	76.48
			S-LOOM/010	32	33 5 X 7 - 22.5" / 9.14 OZS	1.14	74.01
			S-LOOM/011	32	33 5 X 7 - 22.5" / 9.14 OZS	1.13	71.54
			S-LOOM/016	32	33 5 X 7 - 22.5" / 9.14 OZS	2	78.95
			S-LOOM/017	32	33 5 X 7 - 22.5" / 9.14 OZS	2.01	81.41
			S-LOOM/018	32	33 5 X 7 - 22.5" / 9.14 OZS	2	78.95
			S-LOOM/037	32	33 5 X 7 - 22.5" / 9.14 OZS	1.1	64.14
			S-LOOM/038	32	33 5 X 7 - 22.5" / 9.14 OZS	2.01	81.41
			S-LOOM/039	32	33 5 X 7 - 22.5" / 9.14 OZS	2	78.95
			S-LOOM/040	32	33 5 X 7 - 22.5" / 9.14 OZS	2	78.95
			S-LOOM/041	37	33 5 X 7 - 22.5" / 9.14 OZS	1.11	68.65
			S-LOOM/042	37	33 5 X 7 - 22.5" / 9.14 OZS	1.1	66.11
			S-LOOM/043	37	33 5 X 7 - 22.5" / 9.14 OZS	1.11	68.65
			S-LOOM/044	37	33 5 X 7 - 22.5" / 9.14 OZS	2.03	88.99
			S-LOOM/045	32	33 5 X 7 - 22.5" / 9.14 OZS	1.11	66.61
			S-LOOM/046	32	33 5 X 7 - 22.5" / 9.14 OZS	1.07	56.74
			S-LOOM/047	32	33 5 X 7 - 22.5" / 9.14 OZS	2	78.95
			S-LOOM/048	32	33 5 X 7 - 22.5" / 9.14 OZS	2	78.95
			S-LOOM/069	32	33 5 X 7 - 22.5" / 9.14 OZS	2.02	83.88
			S-LOOM/070	32	33 5 X 7 - 22.5" / 9.14 OZS	2.02	83.88
			S-LOOM/071	32	33 5 X 7 - 22.5" / 9.14 OZS	2.02	83.88
			S-LOOM/072	32	33 5 X 7 - 22.5" / 9.14 OZS	1.14	74.01
			S-LOOM/073	32	33 5 X 7 - 22.5" / 9.14 OZS	1.09	61.68
			S-LOOM/074	32	33 5 X 7 - 22.5" / 9.14 OZS	1.13	71.54
			S-LOOM/075	32	33 5 X 7 - 22.5" / 9.14 OZS	2	78.95
			S-LOOM/076	32	33 5 X 7 - 22.5" / 9.14 OZS	1.08	59.21
			S-LOOM/077	37	33 5 X 7 - 22.5" / 9.14 OZS	1.12	71.20
			S-LOOM/078	37	24 5 X 7 - 22.5" / 9.14 OZS	1.08	60.23
			S-LOOM/101	32	33 5 X 7 - 22.5" / 9.14 OZS	2.03	86.35
			S-LOOM/102	32	33 5 X 7 - 22.5" / 9.14 OZS	2.01	81.41
			S-LOOM/103	37	33 5 X 7 - 22.5" / 9.14 OZS	1.12	71.20
			S-LOOM/104	37	33 5 X 7 - 22.5" / 9.14 OZS	2.01	83.91
			1 Line Total:	32		60.13	74.68
10			S-LOOM/401	37	33 5 X 7 - 22.5" / 9.14 OZS	1.14	76.28
			S-LOOM/402	37	33 5 X 7 - 22.5" / 9.14 OZS	1.11	68.65
			S-LOOM/403	37	33 5 X 7 - 22.5" / 9.14 OZS	2	81.37
			S-LOOM/404	37	33 5 X 7 - 22.5" / 9.14 OZS	1.13	73.74
			S-LOOM/405	37	33 5 X 7 - 22.5" / 9.14 OZS	1.13	73.74
			S-LOOM/406	37	33 5 X 7 - 22.5" / 9.14 OZS	2.04	91.54
			S-LOOM/407	37	33 5 X 7 - 22.5" / 9.14 OZS	.14	56.96
			S-LOOM/408	37	33 5 X 7 - 22.5" / 9.14 OZS	.1	40.68
			S-LOOM/409	37	33 5 X 7 - 22.5" / 9.14 OZS	1.1	66.11
			S-LOOM/410	37	33 5 X 7 - 22.5" / 9.14 OZS	1.15	78.82
			S-LOOM/411	37	33 5 X 7 - 22.5" / 9.14 OZS	2.02	86.45
			S-LOOM/412	37	33 5 X 7 - 22.5" / 9.14 OZS	1.13	73.74
			S-LOOM/413	37	33 5 X 7 - 22.5" / 9.14 OZS	2.01	83.91
			S-LOOM/414	37	33 5 X 7 - 22.5" / 9.14 OZS	2.02	86.45
			S-LOOM/415	37	33 5 X 7 - 22.5" / 9.14 OZS	2	81.37
			S-LOOM/418	37	33 5 X 7 - 22.5" / 9.14 OZS	2.02	86.45
			S-LOOM/419	37	33 5 X 7 - 22.5" / 9.14 OZS	2.02	86.45
			S-LOOM/422	37	33 5 X 7 - 22.5" / 9.14 OZS	1.13	73.74

MURLIDHAR RATANLAL EXPORTS LIMITED

UNIT: GONDALPARA JUTE MILL

Sacking Cuts Production Entry Report

Production on 23-JUN-24 of Dept: Sacking Weaving

Effi. From .01 To 1111.9

Sect	Shift	Line	Mac No	Reed Sp	Quality	Prodn	Eff Lb No.
33	A	10	S-LOOM/423	37	33 5 X 7 - 22.5" / 9.14 OZS	1.1	66.11
			S-LOOM/426	37	33 5 X 7 - 22.5" / 9.14 OZS	1.13	73.74
			10 Line Total:	20		36.13	75.32
		11	S-LOOM/449	37	33 5 X 7 - 22.5" / 9.14 OZS	2.02	86.45
			S-LOOM/450	37	33 5 X 7 - 22.5" / 9.14 OZS	1.15	78.82
			S-LOOM/457	37	33 5 X 7 - 22.5" / 9.14 OZS	1.14	76.28
			S-LOOM/459	37	33 5 X 7 - 22.5" / 9.14 OZS	1.11	68.65
			S-LOOM/462	37	33 5 X 7 - 22.5" / 9.14 OZS	2.02	86.45
			S-LOOM/464	37	33 5 X 7 - 22.5" / 9.14 OZS	2	81.37
			11 Line Total:	6		11.75	79.67
4			S-LOOM/100	37	33 5 X 7 - 22.5" / 9.14 OZS	1.03	48.31
			S-LOOM/105	37	33 5 X 7 - 22.5" / 9.14 OZS	1.05	53.40
			S-LOOM/106	37	33 5 X 7 - 22.5" / 9.14 OZS	1.13	73.74
			S-LOOM/127	37	33 5 X 7 - 22.5" / 9.14 OZS	1.12	71.20
			S-LOOM/128	37	33 5 X 7 - 22.5" / 9.14 OZS	1.08	61.03
			S-LOOM/129	37	33 5 X 7 - 22.5" / 9.14 OZS	1.13	73.74
			S-LOOM/130	37	33 5 X 7 - 22.5" / 9.14 OZS	1.1	66.11
			S-LOOM/133	37	33 5 X 7 - 22.5" / 9.14 OZS	1.14	76.28
			S-LOOM/134	37	33 5 X 7 - 22.5" / 9.14 OZS	1.04	50.85
			S-LOOM/155	37	33 5 X 7 - 22.5" / 9.14 OZS	1.15	78.82
			S-LOOM/156	37	33 5 X 7 - 22.5" / 9.14 OZS	1.14	76.28
			S-LOOM/157	37	33 5 X 7 - 22.5" / 9.14 OZS	2	81.37
			S-LOOM/158	37	33 5 X 7 - 22.5" / 9.14 OZS	1.13	73.74
			S-LOOM/159	37	33 5 X 7 - 22.5" / 9.14 OZS	1.14	76.28
			S-LOOM/160	37	33 5 X 7 - 22.5" / 9.14 OZS	1.12	71.20
			S-LOOM/161	37	33 5 X 7 - 22.5" / 9.14 OZS	1.13	73.74
			S-LOOM/180	37	33 5 X 7 - 22.5" / 9.14 OZS	1.1	66.11
			4 Line Total:	17		28.81	68.95
8			S-LOOM/181	37	33 5 X 7 - 22.5" / 9.14 OZS	1.11	68.65
			S-LOOM/182	37	33 5 X 7 - 22.5" / 9.14 OZS	1.12	71.20
			S-LOOM/183	37	33 5 X 7 - 22.5" / 9.14 OZS	2.04	91.54
			S-LOOM/184	37	33 5 X 7 - 22.5" / 9.14 OZS	1.14	76.28
			S-LOOM/185	37	33 5 X 7 - 22.5" / 9.14 OZS	1.14	76.28
			S-LOOM/199	37	33 5 X 7 - 22.5" / 9.14 OZS	1.13	73.74
			S-LOOM/200	37	33 5 X 7 - 22.5" / 9.14 OZS	1.13	73.74
			S-LOOM/201	37	33 5 X 7 - 22.5" / 9.14 OZS	2.01	83.91
			S-LOOM/202	37	33 5 X 7 - 22.5" / 9.14 OZS	1.13	73.74
			S-LOOM/203	37	33 5 X 7 - 22.5" / 9.14 OZS	1.13	73.74
			S-LOOM/226	37	33 5 X 7 - 22.5" / 9.14 OZS	1.12	71.20
			S-LOOM/233	37	33 5 X 7 - 22.5" / 9.14 OZS	2	81.37
			S-LOOM/441	37	33 5 X 7 - 22.5" / 9.14 OZS	1.11	68.65
			S-LOOM/442	37	33 5 X 7 - 22.5" / 9.14 OZS	1.12	71.20
			S-LOOM/483	52	33 5 X 7 - 22.5" / 9.14 OZS	1.15	86.81
			8 Line Total:	15		27.88	76.14
9			S-LOOM/381	37	33 5 X 7 - 22.5" / 9.14 OZS	1.14	76.28
			S-LOOM/382	37	33 5 X 7 - 22.5" / 9.14 OZS	1.15	78.82
			S-LOOM/383	37	33 5 X 7 - 22.5" / 9.14 OZS	1.12	71.20
			S-LOOM/384	37	33 5 X 7 - 22.5" / 9.14 OZS	1.14	76.28
			S-LOOM/385	37	33 5 X 7 - 22.5" / 9.14 OZS	2	81.37
			S-LOOM/386	37	33 5 X 7 - 22.5" / 9.14 OZS	2.02	86.45
			S-LOOM/387	37	33 5 X 7 - 22.5" / 9.14 OZS	1.15	78.82

MURLIDHAR RATANLAL EXPORTS LIMITED

UNIT: GONDALPARA JUTE MILL

Sacking Cuts Production Entry Report

Production on 23-JUN-24 of Dept: Sacking Weaving

Effi. From .01 To 1111.9

Sect	Shift	Line	Mac No	Reed Sp	Quality	Prodn	Eff Lb No.
33	A	9	S-LOOM/388	37	33 5 X 7 - 22.5" / 9.14 OZS	2	81.37
			S-LOOM/389	37	33 5 X 7 - 22.5" / 9.14 OZS	1.11	68.65
			S-LOOM/390	37	33 5 X 7 - 22.5" / 9.14 OZS	1.1	66.11
			S-LOOM/391	37	33 5 X 7 - 22.5" / 9.14 OZS	1.14	76.28
			S-LOOM/392	37	33 5 X 7 - 22.5" / 9.14 OZS	1.15	78.82
			S-LOOM/395	37	33 5 X 7 - 22.5" / 9.14 OZS	1.04	50.85
			S-LOOM/396	37	33 5 X 7 - 22.5" / 9.14 OZS	1.12	71.20
			S-LOOM/397	37	33 5 X 7 - 22.5" / 9.14 OZS	1.14	76.28
			S-LOOM/398	37	33 5 X 7 - 22.5" / 9.14 OZS	1.12	71.20
			S-LOOM/399	37	33 5 X 7 - 22.5" / 9.14 OZS	2.04	91.54
			S-LOOM/400	37	33 5 X 7 - 22.5" / 9.14 OZS	2.02	86.45
			S-LOOM/443	37	33 5 X 7 - 22.5" / 9.14 OZS	1.03	77.30
			S-LOOM/444	37	33 5 X 7 - 22.5" / 9.14 OZS	1.03	77.30
			S-LOOM/445	37	33 5 X 7 - 22.5" / 9.14 OZS	1.05	53.40
			S-LOOM/446	37	33 5 X 7 - 22.5" / 9.14 OZS	1.14	76.28
			S-LOOM/447	37	33 5 X 7 - 22.5" / 9.14 OZS	1.14	76.28
			S-LOOM/448	37	33 5 X 7 - 22.5" / 9.14 OZS	2.03	88.99
			S-LOOM/475	37	33 5 X 7 - 22.5" / 9.14 OZS	1.13	73.74
			S-LOOM/476	37	33 5 X 7 - 22.5" / 9.14 OZS	2	81.37
			9 Line Total:	26		47.06	75.87
			A Shift Total:	116		212	74.66
33			Section Total:	116		437.69	74.66