

MURLIDHAR RATANLAL EXPORTS LIMITED

UNIT: HASTINGS JUTE MILL

Qualitywise Efficiency Report For 22-JUN-24

BROAD LOOM

Print Date : 01-JUL-24 11:44 AM

HJM/FS/B&W/09

Page 1 of 9
Wastage : 0.00

| Shift | T/Hrs | L/Hrs | W/Hrs |
|-------|-------|--------|-------|
| A | 8.00 | - 0.00 | 8.00 |
| B | 8.00 | - 0.00 | 8.00 |
| C | 7.50 | - 0.00 | 7.50 |
| | | | 23.50 |

| Qty Code | Quality Specifications | | | | Loom Type | Reed Spac | Laid Length | Fin. Length | No of Cuts | NOC | Tot(act) Yards | Gms/ Yrds | Weight | Target Prods(Wt) | Effi% | Cumm. Effi% | Theoretical Yrds | No of Loom | Kgms/ Loom/Day |
|----------|------------------------|-------|-------|-----------------|-----------|-----------|-------------|-------------|------------|-----|----------------|-----------|----------|------------------|-------|-------------|------------------|------------|----------------|
| | Porter | Sorts | Width | Description | | | | | | | | | | | | | | | |
| G083 | 5 | 7 | 22.4 | GOV.B.TWILL | | 36" | 130 | 121 | 370 | | 44770 | 259 | 11595.43 | 10639.40 | 76.6 | 76.9 | 58472.44 | 158 | 220.17 |
| | | | | sacking (6) --> | | | | | 370 | | 44770 | | 11595.43 | 10639.40 | 76.6 | 76.9 | 58472.44 | 158 | 220.17 |
| | | | | Grand Total : | | | | | 370 | | 44770 | | 11595.43 | 10639.40 | 76.6 | 76.9 | 58472.44 | 158 | 220.17 |

Overseer

Weaving I/C

Asst. Manager.(Fact.)

M.Manager

P.Manager

C.M. Manager

Dy.G.M

G.Manager

| Shift | T/Hrs | L/Hrs | W/Hrs |
|-------|-------|--------|-------|
| A | 8.00 | - 0.00 | 8.00 |
| B | 8.00 | - 0.00 | 8.00 |
| C | 0.00 | - 0.00 | 0.00 |

16.00

| Qty Code | Quality Specifications | | | | Loom Type | Reed Spac | Laid Length | Fin. Length | No of Cuts | NOC | Tot(act) Yards | Gms/ Yrds | Weight | Target Prods(Wt) | Effi% | Cumm. Effi% | Theoretical Yrds | No of Loom | Kgms/ Loom/Day |
|----------|------------------------|-------|-------|---------------------------------|-----------|-----------|-------------|-------------|------------|-----|----------------|-----------|---------|------------------|-------|-------------|------------------|------------|----------------|
| | Porter | Sorts | Width | Description | | | | | | | | | | | | | | | |
| 1935 | 9 | 7 | 72.0 | hess cloth | | 76" | 170 | 157 | 10 | | 1570 | 332 | 521.24 | 1066.45 | 33.2 | 33.2 | 4723.81 | 20 | 52.12 |
| 1991 | 9 | 8 | 40.0 | HESS CLOTH | | 52" | 165 | 152 | 6 | | 912 | 198 | 180.58 | 265.69 | 46.2 | 49.6 | 1973.33 | 8 | 45.15 |
| 2402 | 9 | 10 | 43.3 | HESS CLOTH | | 52" | 165 | 154 | 12 | | 1848 | 249 | 460.15 | 668.25 | 46.8 | 49.5 | 3946.67 | 20 | 46.02 |
| 2512 | 9 | 10 | 47.3 | HESS CLOTH | | 56" | 165 | 155 | 11 | | 1705 | 268 | 456.94 | 699.80 | 44.4 | 49.7 | 3840.00 | 20 | 45.69 |
| 2985 | 11 | 9 | 52.0 | HESS CLOTH | | 58" | 165 | 155 | 3 | | 465 | 299 | 139.04 | 256.63 | 36.8 | 40.5 | 1262.22 | 6 | 46.35 |
| 3023 | 11 | 10 | 48.0 | HESS CLOTH | | 52" | 165 | 155 | 24 | | 3720 | 289 | 1075.08 | 1628.76 | 44.9 | 48.2 | 8288.00 | 42 | 51.19 |
| 3028 | 11 | 10 | 72.0 | HESS CLOTH | | 76" | 165 | 158 | 2 | | 316 | 434 | 137.14 | 292.76 | 31.9 | 35.6 | 992.00 | 6 | 45.71 |
| 3150 | 11 | 11 | 54.0 | HESS CLOTH | | 67" | 165 | 153 | 4 | | 612 | 357 | 218.48 | 352.22 | 42.2 | 43.1 | 1450.91 | 9 | 48.55 |
| 3150 | 11 | 11 | 54.0 | HESS CLOTH | | 58" | 165 | 153 | 58 | | 8874 | 357 | 3168.02 | 5640.86 | 38.2 | 43.1 | 23236.36 | 135 | 46.93 |
| 3227 | 11 | 12 | 33.0 | HESS CLOTH | | 46" | 165 | 155 | 2 | | 310 | 234 | 72.54 | 81.68 | 60.4 | 60.4 | 513.33 | 3 | 48.36 |
| 3267 | 11 | 12 | 36.0 | HESS CLOTH | | 46" | 165 | 150 | 5 | | 750 | 255 | 191.25 | 237.37 | 54.8 | 60.4 | 1368.89 | 8 | 47.81 |
| 3267 | 11 | 12 | 36.0 | HESS CLOTH | | 52" | 165 | 150 | 12 | | 1800 | 255 | 459.00 | 513.26 | 60.8 | 60.4 | 2960.00 | 18 | 51.00 |
| | | | | hessian (1) --> | | | | | 149 | | 22882 | | 7079.46 | 11703.73 | 41.9 | 47.8 | 54555.52 | 295 | 48.00 |
| Qty Code | Quality Specifications | | | | Loom Type | Reed Spac | Laid Length | Fin. Length | No of Cuts | NOC | Tot(act) Yards | Gms/ Yrds | Weight | Target Prods(Wt) | Effi% | Cumm. Effi% | Theoretical Yrds | No of Loom | Kgms/ Loom/Day |
| 0482 | 5 | 6.5 | 36.0 | BAILING CL | | 52" | 130 | 120 | 4 | | 480 | 437 | 209.76 | 180.43 | 79.1 | 79.1 | 607.18 | 2 | 209.76 |
| 0483 | 5 | 6.5 | 42.0 | BAILING CL | | 52" | 130 | 120 | 8 | | 960 | 510 | 489.60 | 631.71 | 52.7 | 60.7 | 1821.54 | 6 | 163.20 |
| 0484 | 5 | 6.5 | 40.0 | BAILING CL | | 52" | 130 | 120 | 11 | | 1320 | 486 | 641.52 | 802.64 | 54.3 | 58.8 | 2428.72 | 8 | 160.38 |
| | | | | sacking on hessian loom (2) --> | | | | | 23 | | 2760 | | 1340.88 | 1614.78 | 56.8 | 66.2 | 4857.44 | 16 | 167.61 |
| | | | | Grand Total : | | | | | 172 | | 25642 | | 8420.34 | 13318.51 | 43.2 | 51.5 | 59412.96 | 311 | 54.15 |

Overseer

Weaving I/C

Asst. Manager.(Fact.)

M.Manager

P.Manager

C.M. Manager

Dy.G.M

G.Manager

| Shift | T/Hrs | L/Hrs | W/Hrs |
|-------|-------|--------|-------|
| A | 8.00 | - 0.00 | 8.00 |
| B | 8.00 | - 0.00 | 8.00 |
| C | 7.50 | - 0.00 | 7.50 |

23.50

| Qty Code | Quality Specifications | | | | Loom Type | Reed Spac | Laid Length | Fin. Length | No of Cuts | NOC | Tot(act) Yards | Gms/ Yrds | Weight | Target Prods(Wt) | Effi% | Cumm. Effi% | Theoretical Yrds | No of Loom | Kgms/ Loom/Day |
|----------|------------------------|-------|-------|-----------------|-----------|-----------|-------------|-------------|------------|-----|----------------|-----------|---------|------------------|-------|-------------|------------------|------------|----------------|
| | Porter | Sorts | Width | Description | | | | | | | | | | | | | | | |
| 3150 | 11 | 11 | 54.0 | HESS CLOTH | ML300 | 300" | 165 | 157 | 72 | 2 | 11304 | 357 | 4035.53 | 4911.67 | 49.3 | 51.2 | 22930.00 | 69 | 175.46 |
| 3150 | 11 | 11 | 54.0 | HESS CLOTH | ML360 | 360" | 165 | 157 | 28 | 2 | 4396 | 357 | 1569.37 | 1784.68 | 52.8 | 51.2 | 8332.00 | 27 | 174.37 |
| | | | | hessian (1) --> | | | | | 100 | | 15700 | | 5604.90 | 6696.35 | 50.2 | 51.2 | 31262.00 | 96 | 175.15 |
| | | | | Grand Total : | | | | | 100 | | 15700 | | 5604.90 | 6696.35 | 50.2 | 51.2 | 31262.00 | 96 | 175.15 |

Overseer

Weaving I/C

Asst. Manager.(Fact.)

M.Manager

P.Manager

C.M. Manager

Dy.G.M

G.Manager

| Shift | T/Hrs | L/Hrs | W/Hrs |
|-------|-------|--------|-------|
| A | 8.00 | - 0.00 | 8.00 |
| B | 8.00 | - 0.00 | 8.00 |
| C | 7.50 | - 0.00 | 7.50 |
| | | | 23.50 |

| Qty Code | Quality Specifications | | | | Loom Type | Reed Spac | Laid Length | Fin. Length | No of Cuts | NOC | Tot(act) Yards | Gms/ Yrds | Weight | Target Prods(Wt) | Effi% | Cumm. Effi% | Theoretical Yrds | No of Loom | Kgms/ Loom/Day |
|----------|------------------------|-------|-------|-----------------|-----------|-----------|-------------|-------------|------------|-----|----------------|-----------|----------|------------------|-------|-------------|------------------|------------|----------------|
| | Porter | Sorts | Width | Description | | | | | | | | | | | | | | | |
| G086 | 5 | 7 | 22.4 | GOV.B.TWILL | | 36" | 180 | 169 | 318 | | 53742 | 259 | 13919.18 | 21600.70 | 79.5 | 85.6 | 67601.05 | 137 | 304.80 |
| | | | | sacking (6) --> | | | | | 318 | | 53742 | | 13919.18 | 21600.70 | 79.5 | 85.6 | 67601.05 | 137 | 304.80 |
| | | | | Grand Total : | | | | | 318 | | 53742 | | 13919.18 | 21600.70 | 79.5 | 85.6 | 67601.05 | 137 | 304.80 |

Overseer

Weaving I/C

Asst. Manager.(Fact.)

M.Manager

P.Manager

C.M. Manager

Dy.G.M

G.Manager

| Shift | T/Hrs | L/Hrs | W/Hrs |
|-------|-------|--------|-------|
| A | 8.00 | - 0.00 | 8.00 |
| B | 8.00 | - 0.00 | 8.00 |
| C | 7.50 | - 0.00 | 7.50 |
| | | | 23.50 |

| Qty Code | Quality Specifications | | | | Loom Type | Reed Spac | Laid Length | Fin. Length | No of Cuts | NOC | Tot(act) Yards | Gms/ Yrds | Weight | Target Prods(Wt) | Effi% | Cumm. Effi% | Theoretical Yrds | No of Loom | Kgms/ Loom/Day |
|----------|------------------------|-------|-------|-----------------|-----------|-----------|-------------|-------------|------------|-----|----------------|-----------|----------|------------------|-------|-------------|------------------|------------|----------------|
| | Porter | Sorts | Width | Description | | | | | | | | | | | | | | | |
| G086 | 5 | 7 | 22.4 | GOV.B.TWILL | | 36" | 180 | 169 | 340 | | 57460 | 259 | 14882.14 | 22231.38 | 82.6 | 86.2 | 69574.80 | 141 | 316.64 |
| | | | | sacking (6) --> | | | | | 340 | | 57460 | | 14882.14 | 22231.38 | 82.6 | 86.2 | 69574.80 | 141 | 316.64 |
| | | | | Grand Total : | | | | | 340 | | 57460 | | 14882.14 | 22231.38 | 82.6 | 86.2 | 69574.80 | 141 | 316.64 |

Overseer

Weaving I/C

Asst. Manager.(Fact.)

M.Manager

P.Manager

C.M. Manager

Dy.G.M

G.Manager

| Shift | T/Hrs | L/Hrs | W/Hrs |
|-------|-------|--------|-------|
| A | 8.00 | - 0.00 | 8.00 |
| B | 8.00 | - 0.00 | 8.00 |
| C | 7.50 | - 0.00 | 7.50 |
| | | | 23.50 |

| Qty Code | Quality Specifications | | | | Loom Type | Reed Spac | Laid Length | Fin. Length | No of Cuts | NOC | Tot(act) Yards | Gms/ Yrds | Weight | Target Prods(Wt) | Effi% | Cumm. Effi% | Theoretical Yrds | No of Loom | Kgms/ Loom/Day |
|----------|------------------------|-------|-------|-----------------|-----------|-----------|-------------|-------------|------------|-----|----------------|-----------|---------|------------------|-------|-------------|------------------|------------|----------------|
| | Porter | Sorts | Width | Description | | | | | | | | | | | | | | | |
| G086 | 5 | 7 | 22.4 | GOV.B.TWILL | | 36" | 180 | 169 | 78 | | 13182 | 259 | 3414.14 | 5203.09 | 81.0 | 84.6 | 16283.46 | 33 | 310.38 |
| | | | | sacking (6) --> | | | | | 78 | | 13182 | | 3414.14 | 5203.09 | 81.0 | 84.6 | 16283.46 | 33 | 310.38 |
| | | | | Grand Total : | | | | | 78 | | 13182 | | 3414.14 | 5203.09 | 81.0 | 84.6 | 16283.46 | 33 | 310.38 |

Overseer

Weaving I/C

Asst. Manager.(Fact.)

M.Manager

P.Manager

C.M. Manager

Dy.G.M

G.Manager

MURLIDHAR RATANLAL EXPORTS LIMITED

UNIT: HASTINGS JUTE MILL

Qualitywise Efficiency Report For 22-JUN-24

SACKING WVG.

Print Date : 01-JUL-24 11:44 AM

HJM/FS/B&W/09

Page 8 of 9
Wastage : 0.00

| Shift | T/Hrs | L/Hrs | W/Hrs |
|-------|-------|--------|-------|
| A | 8.00 | - 0.00 | 8.00 |
| B | 8.00 | - 0.00 | 8.00 |
| C | 0.00 | - 0.00 | 0.00 |
| | | | 16.00 |

| Qty Code | Quality Specifications | | | | Loom Type | Reed Spac | Laid Length | Fin. Length | No of Cuts | NOC | Tot(act) Yards | Gms/ Yrds | Weight | Target Prods(Wt) | Effi% | Cumm. Effi% | Theoretical Yrds | No of Loom | Kgms/ Loom/Day |
|----------|------------------------|-------|-------|-----------------|-----------|-----------|-------------|-------------|------------|-----|----------------|-----------|----------|------------------|-------|-------------|------------------|------------|----------------|
| | Porter | Sorts | Width | Description | | | | | | | | | | | | | | | |
| G083 | 5 | 7 | 22.4 | GOV.B.TWILL | | 32" | 130 | 126 | 117 | | 14742 | 259 | 3818.18 | 4156.43 | 78.1 | 79.4 | 18880.00 | 59 | 129.43 |
| G083 | 5 | 7 | 22.4 | GOV.B.TWILL | | 36" | 130 | 126 | 591 | | 74466 | 259 | 19286.69 | 20424.89 | 80.3 | 79.4 | 92777.14 | 297 | 129.88 |
| | | | | sacking (6) --> | | | | | 708 | | 89208 | | 23104.87 | 24581.32 | 79.9 | 79.4 | 111657.14 | 356 | 129.80 |
| | | | | Grand Total : | | | | | 708 | | 89208 | | 23104.87 | 24581.32 | 79.9 | 79.4 | 111657.14 | 356 | 129.80 |

Overseer

Weaving I/C

Asst. Manager.(Fact.)

M.Manager

P.Manager

C.M. Manager

Dy.G.M

G.Manager

MURLIDHAR RATANLAL EXPORTS LIMITED

UNIT: HASTINGS JUTE MILL

Qualitywise Efficiency Report For 22-JUN-24

SRIRAM S4LOOM

Print Date : 01-JUL-24 11:44 AM

HJM/FS/B&W/09

Page 9 of 9
Wastage : 0.00

| Shift | T/Hrs | L/Hrs | W/Hrs |
|-------|-------|--------|-------|
| A | 8.00 | - 0.00 | 8.00 |
| B | 8.00 | - 0.00 | 8.00 |
| C | 7.50 | - 0.00 | 7.50 |
| | | | 23.50 |

| Qty Code | Quality Specifications | | | | Loom Type | Reed Spac | Laid Length | Fin. Length | No of Cuts | NOC | Tot(act) Yards | Gms/ Yrds | Weight | Target Prods(Wt) | Effi% | Cumm. Effi% | Theoretical Yrds | No of Loom | Kgms/ Loom/Day |
|----------|------------------------|-------|-------|-----------------|-----------|-----------|-------------|-------------|------------|-----|----------------|-----------|----------|------------------|-------|-------------|------------------|------------|----------------|
| | Porter | Sorts | Width | Description | | | | | | | | | | | | | | | |
| G086 | 5 | 7 | 22.4 | GOV.B.TWILL | | 36" | 180 | 169 | 326 | | 55094 | 259 | 14269.35 | 22231.38 | 79.2 | 85.7 | 69574.80 | 141 | 303.60 |
| | | | | sacking (6) --> | | | | | 326 | | 55094 | | 14269.35 | 22231.38 | 79.2 | 85.7 | 69574.80 | 141 | 303.60 |
| | | | | Grand Total : | | | | | 326 | | 55094 | | 14269.35 | 22231.38 | 79.2 | 85.7 | 69574.80 | 141 | 303.60 |

Overseer

Weaving I/C

Asst. Manager.(Fact.)

M.Manager

P.Manager

C.M. Manager

Dy.G.M

G.Manager