

| Shift | T/Hrs | L/Hrs | W/Hrs |
|-------|-------|--------|-------|
| A | 8.00 | - 0.00 | 8.00 |
| B | 8.00 | - 0.00 | 8.00 |
| C | 7.50 | - 0.00 | 7.50 |
| | | | 23.50 |

| Qty Code | Quality Specifications | | | | Loom Type | Reed Spac | Laid Length | Fin. Length | No of Cuts | NOC | Tot(act) Yards | Gms/ Yrds | Weight | Target Prods(Wt) | Effi% | Cumm. Effi% | Theoretical Yrds | No of Loom | Kgms/ Loom/Day |
|----------|------------------------|-------|-------|-----------------|-----------|-----------|-------------|-------------|------------|-----|----------------|-----------|----------|------------------|-------|-------------|------------------|------------|----------------|
| | Porter | Sorts | Width | Description | | | | | | | | | | | | | | | |
| G083 | 5 | 7 | 22.4 | GOV.B.TWILL | | 36" | 130 | 121 | 386 | | 46706 | 259 | 12096.85 | 11043.42 | 77.0 | 77.0 | 60692.91 | 164 | 221.28 |
| | | | | sacking (6) --> | | | | | 386 | | 46706 | | 12096.85 | 11043.42 | 77.0 | 77.0 | 60692.91 | 164 | 221.28 |
| | | | | Grand Total : | | | | | 386 | | 46706 | | 12096.85 | 11043.42 | 77.0 | 77.0 | 60692.91 | 164 | 221.28 |

Overseer

Weaving I/C

Asst. Manager.(Fact.)

M.Manager

P.Manager

C.M. Manager

Dy.G.M

G.Manager

| Shift | T/Hrs | L/Hrs | W/Hrs |
|-------|-------|--------|-------|
| A | 8.00 | - 0.00 | 8.00 |
| B | 8.00 | - 0.00 | 8.00 |
| C | 0.00 | - 0.00 | 0.00 |

16.00

| Qty Code | Quality Specifications | | | | Loom Type | Reed Spac | Laid Length | Fin. Length | No of Cuts | NOC | Tot(act) Yards | Gms/ Yrds | Weight | Target Prods(Wt) | Effi% | Cumm. Effi% | Theoretical Yrds | No of Loom | Kgms/ Loom/Day |
|---------------------------------|------------------------|-------|-------------|-------------|-----------|-----------|-------------|-------------|------------|-----|----------------|-----------|---------|------------------|-------|-------------|------------------|------------|----------------|
| | Porter | Sorts | Width | Description | | | | | | | | | | | | | | | |
| 1936 | 9 | 7 | 60.0 | hess cloth | | 76" | 165 | 156 | 3 | | 468 | 276 | 129.17 | 221.64 | 39.6 | 39.6 | 1180.95 | 5 | 51.67 |
| 1994 | 9 | 8 | 72.0 | HESS CLOTH | | 76" | 170 | 158 | 9 | | 1422 | 357 | 507.65 | 852.90 | 40.5 | 40.5 | 3513.33 | 17 | 59.72 |
| 1999 | 9 | 8 | 48.0 | HESS CLOTH | | 58" | 165 | 154 | 2 | | 308 | 238 | 73.30 | 114.91 | 43.4 | 43.4 | 710.00 | 3 | 48.87 |
| 2385 | 9 | 10 | 45.0 | HESS CLOTH | | 52" | 165 | 154 | 12 | | 1848 | 255 | 471.24 | 581.70 | 55.1 | 54.3 | 3354.67 | 17 | 55.44 |
| 2385 | 9 | 10 | 45.0 | HESS CLOTH | | 56" | 165 | 154 | 10 | | 1540 | 255 | 392.70 | 499.39 | 53.5 | 54.3 | 2880.00 | 15 | 52.36 |
| 2987 | 11 | 9 | 54.0 | HESS CLOTH | | 58" | 165 | 153 | 2 | | 306 | 311 | 95.17 | 177.96 | 36.4 | 36.4 | 841.48 | 4 | 47.59 |
| 2992 | 11 | 9 | 60.0 | HESS CLOTH | | 67" | 165 | 155 | 2 | | 310 | 345 | 106.95 | 184.90 | 39.3 | 39.3 | 788.15 | 4 | 53.48 |
| 2994 | 11 | 9 | 72.0 | HESS CLOTH | | 76" | 165 | 156 | 7 | | 1092 | 414 | 452.09 | 724.03 | 42.5 | 42.5 | 2571.85 | 14 | 64.58 |
| 3030 | 11 | 10 | 40.0 | HESS CLOTH | | 46" | 165 | 153 | 2 | | 306 | 241 | 73.75 | 100.95 | 49.7 | 49.7 | 616.00 | 3 | 49.17 |
| 3115 | 11 | 11 | 45.0 | HESS CLOTH | | 52" | 165 | 154 | 51 | | 7854 | 312 | 2450.45 | 3463.48 | 48.1 | 48.3 | 16324.85 | 91 | 53.86 |
| 3115 | 11 | 11 | 45.0 | HESS CLOTH | | 58" | 165 | 154 | 51 | | 7854 | 312 | 2450.45 | 3432.62 | 48.5 | 48.3 | 16179.39 | 94 | 52.14 |
| 3150 | 11 | 11 | 54.0 | HESS CLOTH | | 67" | 165 | 154 | 4 | | 616 | 357 | 219.91 | 313.09 | 47.8 | 46.3 | 1289.70 | 8 | 54.98 |
| 3150 | 11 | 11 | 54.0 | HESS CLOTH | | 58" | 165 | 154 | 16 | | 2464 | 357 | 879.65 | 1337.09 | 44.7 | 46.3 | 5507.88 | 32 | 54.98 |
| 3397 | 11 | 12 | 70.0 | HESS CLOTH | | 76" | 170 | 157 | 2 | | 314 | 496 | 155.74 | 232.35 | 45.6 | 45.6 | 688.89 | 5 | 62.30 |
| hessian (1) --> | | | | | | | | | 173 | | 26702 | | 8458.22 | 12237.01 | 47.3 | 45.3 | 56447.14 | 312 | 54.22 |
| Qty Code | Quality Specifications | | | | Loom Type | Reed Spac | Laid Length | Fin. Length | No of Cuts | NOC | Tot(act) Yards | Gms/ Yrds | Weight | Target Prods(Wt) | Effi% | Cumm. Effi% | Theoretical Yrds | No of Loom | Kgms/ Loom/Day |
| Porter | Sorts | Width | Description | | | | | | | | | | | | | | | | |
| 0483 | 5 | 6.5 | 42.0 | BAILING CL | | 52" | 130 | 120 | 8 | | 960 | 510 | 489.60 | 526.43 | 63.2 | 63.2 | 1517.95 | 5 | 195.84 |
| 0484 | 5 | 6.5 | 40.0 | BAILING CL | | 52" | 130 | 120 | 4 | | 480 | 486 | 233.28 | 200.66 | 79.1 | 79.1 | 607.18 | 2 | 233.28 |
| sacking on hessian loom (2) --> | | | | | | | | | 12 | | 1440 | | 722.88 | 727.09 | 67.8 | 71.2 | 2125.13 | 7 | 206.54 |
| Grand Total : | | | | | | | | | 185 | | 28142 | | 9181.10 | 12964.10 | 48.0 | 48.6 | 58572.27 | 319 | 57.56 |

Overseer

Weaving I/C

Asst. Manager.(Fact.)

M.Manager

P.Manager

C.M. Manager

Dy.G.M

G.Manager

MURLIDHAR RATANLAL EXPORTS LIMITED

UNIT: HASTINGS JUTE MILL

Qualitywise Efficiency Report For 01-JUN-24

MODERN LOOM

Print Date : 01-JUL-24 04:30 PM

HJM/FS/B&W/09

Page 3 of 9
Wastage : 0.00

| Shift | T/Hrs | L/Hrs | W/Hrs |
|-------|-------|--------|-------|
| A | 8.00 | - 0.00 | 8.00 |
| B | 8.00 | - 0.00 | 8.00 |
| C | 7.50 | - 0.00 | 7.50 |
| | | | 23.50 |

| Qty Code | Quality Specifications | | | | Loom Type | Reed Spac | Laid Length | Fin. Length | No of Cuts | NOC | Tot(act) Yards | Gms/ Yrds | Weight | Target Prods(Wt) | Effi% | Cumm. Effi% | Theoretical Yrds | No of Loom | Kgms/ Loom/Day |
|----------|------------------------|-------|-------|-----------------|-----------|-----------|-------------|-------------|------------|-----|----------------|-----------|---------|------------------|-------|-------------|------------------|------------|----------------|
| | Porter | Sorts | Width | Description | | | | | | | | | | | | | | | |
| 2300 | 9 | 9 | 44.0 | HESS CLOTH | ML300 | 300" | 165 | 155 | 90 | 2 | 13950 | 234 | 3264.30 | 3136.47 | 62.4 | 62.4 | 22340.00 | 55 | 178.05 |
| 3150 | 11 | 11 | 54.0 | HESS CLOTH | ML360 | 360" | 165 | 155 | 43 | 2 | 6665 | 357 | 2379.41 | 2643.96 | 54.0 | 54.0 | 12344.00 | 40 | 178.46 |
| | | | | hessian (1) --> | | | | | 133 | | 20615 | | 5643.71 | 5780.43 | 59.4 | 58.2 | 34684.00 | 95 | 178.22 |
| | | | | Grand Total : | | | | | 133 | | 20615 | | 5643.71 | 5780.43 | 59.4 | 58.2 | 34684.00 | 95 | 178.22 |

Overseer

Weaving I/C

Asst. Manager.(Fact.)

M.Manager

P.Manager

C.M. Manager

Dy.G.M

G.Manager

| Shift | T/Hrs | L/Hrs | W/Hrs |
|-------|-------|--------|-------|
| A | 8.00 | - 0.00 | 8.00 |
| B | 8.00 | - 0.00 | 8.00 |
| C | 7.50 | - 0.00 | 7.50 |
| | | | 23.50 |

| Qty Code | Quality Specifications | | | | Loom Type | Reed Spac | Laid Length | Fin. Length | No of Cuts | NOC | Tot(act) Yards | Gms/ Yrds | Weight | Target Prods(Wt) | Effi% | Cumm. Effi% | Theoretical Yrds | No of Loom | Kgms/ Loom/Day |
|----------|------------------------|-------|-------|-----------------|-----------|-----------|-------------|-------------|------------|-----|----------------|-----------|----------|------------------|-------|-------------|------------------|------------|----------------|
| | Porter | Sorts | Width | Description | | | | | | | | | | | | | | | |
| G086 | 5 | 7 | 22.4 | GOV.B.TWILL | | 36" | 180 | 169 | 350 | | 59150 | 259 | 15319.85 | 22231.38 | 85.0 | 85.0 | 69574.80 | 141 | 325.95 |
| | | | | sacking (6) --> | | | | | 350 | | 59150 | | 15319.85 | 22231.38 | 85.0 | 85.0 | 69574.80 | 141 | 325.95 |
| | | | | Grand Total : | | | | | 350 | | 59150 | | 15319.85 | 22231.38 | 85.0 | 85.0 | 69574.80 | 141 | 325.95 |

Overseer

Weaving I/C

Asst. Manager.(Fact.)

M.Manager

P.Manager

C.M. Manager

Dy.G.M

G.Manager

| Shift | T/Hrs | L/Hrs | W/Hrs |
|-------|-------|--------|-------|
| A | 8.00 | - 0.00 | 8.00 |
| B | 8.00 | - 0.00 | 8.00 |
| C | 7.50 | - 0.00 | 7.50 |
| | | | 23.50 |

| Qty Code | Quality Specifications | | | | Loom Type | Reed Spac | Laid Length | Fin. Length | No of Cuts | NOC | Tot(act) Yards | Gms/ Yrds | Weight | Target Prods(Wt) | Effi% | Cumm. Effi% | Theoretical Yrds | No of Loom | Kgms/ Loom/Day |
|----------|------------------------|-------|-------|-----------------|-----------|-----------|-------------|-------------|------------|-----|----------------|-----------|----------|------------------|-------|-------------|------------------|------------|----------------|
| | Porter | Sorts | Width | Description | | | | | | | | | | | | | | | |
| G086 | 5 | 7 | 22.4 | GOV.B.TWILL | | 36" | 180 | 169 | 351 | | 59319 | 259 | 15363.62 | 22231.38 | 85.3 | 85.3 | 69574.80 | 141 | 326.89 |
| | | | | sacking (6) --> | | | | | 351 | | 59319 | | 15363.62 | 22231.38 | 85.3 | 85.3 | 69574.80 | 141 | 326.89 |
| | | | | Grand Total : | | | | | 351 | | 59319 | | 15363.62 | 22231.38 | 85.3 | 85.3 | 69574.80 | 141 | 326.89 |

Overseer

Weaving I/C

Asst. Manager.(Fact.)

M.Manager

P.Manager

C.M. Manager

Dy.G.M

G.Manager

MURLIDHAR RATANLAL EXPORTS LIMITED

UNIT: HASTINGS JUTE MILL

Qualitywise Efficiency Report For 01-JUN-24

S4LOOM

Print Date : 01-JUL-24 04:30 PM

HJM/FS/B&W/09

Page 6 of 9
Wastage : 0.00

| Shift | T/Hrs | L/Hrs | W/Hrs |
|-------|-------|--------|-------|
| A | 8.00 | - 0.00 | 8.00 |
| B | 8.00 | - 0.00 | 8.00 |
| C | 7.50 | - 0.00 | 7.50 |
| | | | 23.50 |

| Qty Code | Quality Specifications | | | | Loom Type | Reed Spac | Laid Length | Fin. Length | No of Cuts | NOC | Tot(act) Yards | Gms/ Yrds | Weight | Target Prods(Wt) | Effi% | Cumm. Effi% | Theoretical Yrds | No of Loom | Kgms/ Loom/Day |
|----------|------------------------|-------|-------|-----------------|-----------|-----------|-------------|-------------|------------|-----|----------------|-----------|----------|------------------|-------|-------------|------------------|------------|----------------|
| | Porter | Sorts | Width | Description | | | | | | | | | | | | | | | |
| G086 | 5 | 7 | 22.4 | GOV.B.TWILL | | 36" | 180 | 169 | 604 | | 102076 | 259 | 26437.68 | 38471.32 | 84.8 | 84.8 | 120398.95 | 244 | 325.05 |
| | | | | sacking (6) --> | | | | | 604 | | 102076 | | 26437.68 | 38471.32 | 84.8 | 84.8 | 120398.95 | 244 | 325.05 |
| | | | | Grand Total : | | | | | 604 | | 102076 | | 26437.68 | 38471.32 | 84.8 | 84.8 | 120398.95 | 244 | 325.05 |

Overseer

Weaving I/C

Asst. Manager.(Fact.)

M.Manager

P.Manager

C.M. Manager

Dy.G.M

G.Manager

| Shift | T/Hrs | L/Hrs | W/Hrs |
|-------|-------|--------|-------|
| A | 8.00 | - 0.00 | 8.00 |
| B | 8.00 | - 0.00 | 8.00 |
| C | 7.50 | - 0.00 | 7.50 |
| | | | 23.50 |

| Qty Code | Quality Specifications | | | | Loom Type | Reed Spac | Laid Length | Fin. Length | No of Cuts | NOC | Tot(act) Yards | Gms/ Yrds | Weight | Target Prods(Wt) | Effi% | Cumm. Effi% | Theoretical Yrds | No of Loom | Kgms/ Loom/Day |
|----------|------------------------|-------|-------|-----------------|-----------|-----------|-------------|-------------|------------|-----|----------------|-----------|---------|------------------|-------|-------------|------------------|------------|----------------|
| | Porter | Sorts | Width | Description | | | | | | | | | | | | | | | |
| G086 | 5 | 7 | 22.4 | GOV.B.TWILL | | 36" | 180 | 169 | 82 | | 13858 | 259 | 3589.22 | 5203.09 | 85.1 | 85.1 | 16283.46 | 33 | 326.29 |
| | | | | sacking (6) --> | | | | | 82 | | 13858 | | 3589.22 | 5203.09 | 85.1 | 85.1 | 16283.46 | 33 | 326.29 |
| | | | | Grand Total : | | | | | 82 | | 13858 | | 3589.22 | 5203.09 | 85.1 | 85.1 | 16283.46 | 33 | 326.29 |

Overseer

Weaving I/C

Asst. Manager.(Fact.)

M.Manager

P.Manager

C.M. Manager

Dy.G.M

G.Manager

MURLIDHAR RATANLAL EXPORTS LIMITED

UNIT: HASTINGS JUTE MILL

Qualitywise Efficiency Report For 01-JUN-24

SACKING WVG.

Print Date : 01-JUL-24 04:30 PM

HJM/FS/B&W/09

Page 8 of 9
Wastage : 0.00

| Shift | T/Hrs | L/Hrs | W/Hrs |
|-------|-------|--------|-------|
| A | 8.00 | - 0.00 | 8.00 |
| B | 8.00 | - 0.00 | 8.00 |
| C | 0.00 | - 0.00 | 0.00 |
| | | | 16.00 |

| Qty Code | Quality Specifications | | | | Loom Type | Reed Spac | Laid Length | Fin. Length | No of Cuts | NOC | Tot(act) Yards | Gms/ Yrds | Weight | Target Prods(Wt) | Effi% | Cumm. Effi% | Theoretical Yrds | No of Loom | Kgms/ Loom/Day |
|----------|------------------------|-------|-------|-----------------|-----------|-----------|-------------|-------------|------------|-----|----------------|-----------|----------|------------------|-------|-------------|------------------|------------|----------------|
| | Porter | Sorts | Width | Description | | | | | | | | | | | | | | | |
| G083 | 5 | 7 | 22.4 | GOV.B.TWILL | | 32" | 130 | 126 | 49 | | 6174 | 259 | 1599.07 | 1690.75 | 80.4 | 79.9 | 7680.00 | 24 | 133.26 |
| G083 | 5 | 7 | 22.4 | GOV.B.TWILL | | 36" | 130 | 126 | 629 | | 79254 | 259 | 20526.79 | 22006.61 | 79.3 | 79.9 | 99961.90 | 320 | 128.29 |
| G443 | 8 | 9 | 26.5 | L.TWILL | | 36" | 130 | 123 | 107 | | 13161 | 432 | 5685.55 | 5709.82 | 84.6 | 84.6 | 15549.63 | 64 | 177.67 |
| | | | | sacking (6) --> | | | | | 785 | | | | 27811.41 | 29407.18 | 80.0 | 81.5 | 123191.53 | 408 | 136.33 |
| | | | | Grand Total : | | | | | 785 | | | | 27811.41 | 29407.18 | 80.0 | 81.5 | 123191.53 | 408 | 136.33 |

Overseer

Weaving I/C

Asst. Manager.(Fact.)

M.Manager

P.Manager

C.M. Manager

Dy.G.M

G.Manager

| Shift | T/Hrs | L/Hrs | W/Hrs |
|-------|-------|--------|-------|
| A | 8.00 | - 0.00 | 8.00 |
| B | 8.00 | - 0.00 | 8.00 |
| C | 7.50 | - 0.00 | 7.50 |

23.50

| Qty Code | Quality Specifications | | | | Loom Type | Reed Spac | Laid Length | Fin. Length | No of Cuts | NOC | Tot(act) Yards | Gms/ Yrds | Weight | Target Prods(Wt) | Effi% | Cumm. Effi% | Theoretical Yrds | No of Loom | Kgms/ Loom/Day |
|----------|------------------------|-------|-------|-----------------|-----------|-----------|-------------|-------------|------------|-----|----------------|-----------|----------|------------------|-------|-------------|------------------|------------|----------------|
| | Porter | Sorts | Width | Description | | | | | | | | | | | | | | | |
| G086 | 5 | 7 | 22.4 | GOV.B.TWILL | | 36" | 180 | 169 | 351 | | 59319 | 259 | 15363.62 | 22231.38 | 85.3 | 85.3 | 69574.80 | 141 | 326.89 |
| | | | | sacking (6) --> | | | | | 351 | | 59319 | | 15363.62 | 22231.38 | 85.3 | 85.3 | 69574.80 | 141 | 326.89 |
| | | | | Grand Total : | | | | | 351 | | 59319 | | 15363.62 | 22231.38 | 85.3 | 85.3 | 69574.80 | 141 | 326.89 |

Overseer

Weaving I/C

Asst. Manager.(Fact.)

M.Manager

P.Manager

C.M. Manager

Dy.G.M

G.Manager