

MURLIDHAR RATANLAL EXPORTS LIMITED

UNIT: HASTINGS JUTE MILL

Qualitywise Efficiency Report For 01-JUN-24 to 07-JUN-24

BROAD LOOM

02-JUL-24 09:41 AM

Page 1 of 9

Wastage : 0.0

Shift	T/Hrs	L/Hrs	W/Hrs
A	48.00	- 0.00	48.00
B	48.00	- 0.00	48.00
C	45.00	- 0.00	45.00

141

Qlty Code	Quality Port	Shot	Specifications Width	Description	R.S.	Laid Lngth	Fin. Lngth	No of Cuts	Total Yds/mtr	Gms/ Yds	Wt in Kg	Total Yds/mtr	Eff%	Total Loom Hour	No of Looms	Kg/ Loom/Hour
G083	5	7	22.4	GOV.B.TWILL	36"	130	121	2301	278421	259	72111	362677.2	76.8	7676.68	980	75.15
				sacking (6) -->				2301	278421		72111	362677.2	76.8	7676.68	980	9.39
				Grand Total :				2301	278421		72111	362677.2	76.8	7676.68	980	9.39

Overseer

Weaving I/C

Asst. Manager.(Fact.)

M.Manager

P.Manager

C.M. Manager

MURLIDHAR RATANLAL EXPORTS LIMITED

UNIT: HASTINGS JUTE MILL

Qualitywise Efficiency Report For 01-JUN-24 to 07-JUN-24

HESSIAN WVG.

02-JUL-24 09:41 AM

Page 2 of 9

Wastage : 0.0

Shift	T/Hrs	L/Hrs	W/Hrs
A	48.00	- 0.00	48.00
B	48.00	- 0.00	48.00
C	0.00	- 0.00	0.00 96

Qlty Code	Quality Port	Shot	Specifications Width	Description	R.S.	Laid Lngth	Fin. Lngth	No of Cuts	Total Yds/mtr	Gms/ Yds	Wt in Kg	Total Yds/mtr	Eff%	Total Loom Hour	No of Looms	Kg/ Loom/ Hour
1936	9	7	60	hess cloth	76"	165	156	6	936	276	258	2361.9	39.6	80.00	10	25.80
1994	9	8	72	HESS CLOTH	76"	170	158	61	9638	357	3441	24593.3	39.2	952.00	119	28.92
1999	9	8	48	HESS CLOTH	58"	165	154	9	1386	238	330	2840.0	48.8	96.00	12	27.50
2385	9	10	45	HESS CLOTH	52"	165	154	12	1848	255	471	3354.7	55.1	136.00	17	27.71
	9	10	45	HESS CLOTH	56"	165	154	10	1540	255	393	2880.0	53.5	120.00	15	26.20
Quality Total -->								22	3388		864	6234.7	54.3	256.00	32	3.38
2512	9	10	47.3	HESS CLOTH	56"	165	155	4	620	268	166	1344.0	46.1	56.00	7	23.71
2987	11	9	54	HESS CLOTH	58"	165	153	2	306	311	95	841.5	36.4	32.00	4	23.75
2991	11	9	34	HESS CLOTH	46"	165	155	2	310	196	61	684.4	45.3	24.00	3	20.33
2992	11	9	60	HESS CLOTH	67"	165	155	2	310	345	107	788.2	39.3	32.00	4	26.75
2994	11	9	72	HESS CLOTH	76"	165	160	30	4716	414	1952	11940.7	39.5	520.00	65	30.03
3023	11	10	48	HESS CLOTH	58"	165	153	4	612	289	177	1136.0	53.9	48.00	6	29.50
3030	11	10	40	HESS CLOTH	46"	165	155	42	6447	241	1554	12730.7	50.6	496.00	62	25.06
	11	10	40	HESS CLOTH	52"	165	154	30	4600	241	1109	9472.0	48.6	384.00	48	23.10
Quality Total -->								72	11047		2663	22202.7	49.8	880.00	110	3.03
3115	11	11	45	HESS CLOTH	52"	165	156	230	35580	312	11101	73192.7	48.6	3264.00	408	27.21
	11	11	45	HESS CLOTH	58"	165	156	330	50924	312	15888	103100.6	49.4	4792.00	599	26.52
Quality Total -->								560	86504		26989	176293.3	49.1	8056.00	1007	3.35
3150	11	11	54	HESS CLOTH	58"	165	154	170	26090	357	9314	59037.6	44.2	2744.00	343	27.15
	11	11	54	HESS CLOTH	67"	165	154	15	2304	357	823	4836.4	47.6	240.00	30	27.43
Quality Total -->								185	28394		10137	63874.0	44.5	2984.00	373	3.40
3197	11	12	40	HESS CLOTH	46"	165	154	14	2156	284	612	3935.6	54.8	184.00	23	26.61
3258	11	12	52	HESS CLOTH	58"	165	155	7	1085	369	400	2524.4	43	128.00	16	25.00
3397	11	12	70	HESS CLOTH	76"	170	158	16	2526	496	1253	5786.7	43.7	336.00	42	29.83
3517	11	12	43.3	HESS CLOTH	52"	165	156	16	2496	307	766	5426.7	46	264.00	33	23.21
hessian (1) -->								1012	156430		50271	332808.1	47	14928.00	1866	3.37
Qlty Code	Quality Port	Shot	Specifications Width	Description	R.S.	Laid Lngth	Fin. Lngth	No of Cuts	Total Yds/mtr	Gms/ Yds	Wt in Kg	Total Yds/mtr	Eff%	Total Loom Hour	No of Looms	Kg/ Loom/ Hour
0483	5	6.5	42	BAILING CL	52"	130	120	11	1320	510	673	2125.1	62.1	56.00	7	96.14
0484	5	6.5	40	BAILING CL	52"	130	120	5	600	486	292	910.8	65.9	24.00	3	97.33
-->								16	1920		965	3035.9	63.2	80.00	10	12.06
Grand Total :								1028	158350		51236	335844.0	47.1	15008.00	1876	3.41

Overseer

Weaving I/C

Asst. Manager. (Fact.)

M. Manager

P. Manager

C.M. Manager

MURLIDHAR RATANLAL EXPORTS LIMITED

UNIT: HASTINGS JUTE MILL

Qualitywise Efficiency Report For 01-JUN-24 to 07-JUN-24

MODERN LOOM

02-JUL-24 09:41 AM

Page 3 of 9

Wastage : 0.0

Shift	T/Hrs	L/Hrs	W/Hrs
A	48.00	- 0.00	48.00
B	48.00	- 0.00	48.00
C	45.00	- 0.00	45.00

141

Qlty Code	Quality Port	Shot	Specifications Width Description	R.S.	Laid Lngth	Fin. Lngth	No of Cuts	Total Yds/mtr	Gms/ Yds	Wt in Kg	Total Yds/mtr	Eff%	Total Loom Hour	No of Looms	Kg/ Loom/Hour
1948	9	7	44 HESS CLOTH	300"	165	155	4	620	203	126	1044.0	59.4	31.33	4	32.17
2300	9	9	44 HESS CLOTH	300"	165	156	518	80212	234	18770	63160.0	127	2436.16	311	61.64
3150	11	11	54 HESS CLOTH	300"	165	154	14	2156	357	770	2160.0	99.8	101.83	13	60.49
	11	11	54 HESS CLOTH	360"	165	157	244	37882	357	13524	40044.0	94.6	1887.83	241	57.31
Quality Total -->							258	40038	14294	42204.0	94.9	1989.66	254	7.18	
hessian (1) -->							780	120870	33190	106408.0	113.6	4457.15	569	7.45	
Grand Total :							780	120870	33190	106408.0	113.6	4457.15	569	7.45	

Overseer

Weaving I/C

Asst. Manager.(Fact.)

M.Manager

P.Manager

C.M. Manager

MURLIDHAR RATANLAL EXPORTS LIMITED

UNIT: HASTINGS JUTE MILL

Qualitywise Efficiency Report For 01-JUN-24 to 07-JUN-24
S4 IJMD

02-JUL-24 09:41 AM

Page 4 of 9

Wastage : 0.0

Shift	T/Hrs	L/Hrs	W/Hrs
A	48.00	- 0.00	48.00
B	48.00	- 0.00	48.00
C	45.00	- 0.00	45.00

141

Qlty Code	Quality Port	Shot	Specifications Width	Description	R.S.	Laid Lngth	Fin. Lngth	No of Cuts	Total Yds/mtr	Gms/ Yds	Wt in Kg	Total Yds/mtr	Eff%	Total Loom Hour	No of Looms	Kg/ Loom/Hour
G086	5	7	22.4	GOV.B.TWILL	36"	180	169	2126	359294	259	93057	417448.8	86.1	6627.00	846	112.34
				sacking (6) -->				2126	359294		93057	417448.8	86.1	6627.00	846	14.04
				Grand Total :				2126	359294		93057	417448.8	86.1	6627.00	846	14.04

Overseer

Weaving I/C

Asst. Manager.(Fact.)

M.Manager

P.Manager

C.M. Manager

MURLIDHAR RATANLAL EXPORTS LIMITED

UNIT: HASTINGS JUTE MILL

Qualitywise Efficiency Report For 01-JUN-24 to 07-JUN-24
S4 NEW SHED

02-JUL-24 09:41 AM

Page 5 of 9

Wastage : 0.0

Shift	T/Hrs	L/Hrs	W/Hrs
A	48.00	- 0.00	48.00
B	48.00	- 0.00	48.00
C	45.00	- 0.00	45.00

141

Qlty Code	Quality Port	Shot	Specifications Width	Description	R.S.	Laid Lngth	Fin. Lngth	No of Cuts	Total Yds/mtr	Gms/ Yds	Wt in Kg	Total Yds/mtr	Eff%	Total Loom Hour	No of Looms	Kg/ Loom/Hour
G086	5	7	22.4	GOV.B.TWILL	36"	180	169	2118	357942	259	92707	414981.6	86.3	6587.84	841	112.58
				sacking (6) -->				2118	357942		92707	414981.6	86.3	6587.84	841	14.07
				Grand Total :				2118	357942		92707	414981.6	86.3	6587.84	841	14.07

Overseer

Weaving I/C

Asst. Manager.(Fact.)

M.Manager

P.Manager

C.M. Manager

MURLIDHAR RATANLAL EXPORTS LIMITED

UNIT: HASTINGS JUTE MILL

Qualitywise Efficiency Report For 01-JUN-24 to 07-JUN-24
S4LOOM

02-JUL-24 09:41 AM

Page 6 of 9

Wastage : 0.0

Shift	T/Hrs	L/Hrs	W/Hrs
A	48.00	- 0.00	48.00
B	48.00	- 0.00	48.00
C	45.00	- 0.00	45.00

141

Qlty Code	Quality Port	Shot	Specifications Width	Description	R.S.	Laid Lngth	Fin. Lngth	No of Cuts	Total Yds/mtr	Gms/ Yds	Wt in Kg	Total Yds/mtr	Eff%	Total Loom Hour	No of Looms	Kg/ Loom/Hour
G086	5	7	22.4	GOV.B.TWILL	36"	180	169	3708	626652	259	162303	729795.3	85.9	11585.48	1479	112.07
				sacking (6) -->				3708	626652		162303	729795.3	85.9	11585.48	1479	14.01
				Grand Total :				3708	626652		162303	729795.3	85.9	11585.48	1479	14.01

Overseer

Weaving I/C

Asst. Manager.(Fact.)

M.Manager

P.Manager

C.M. Manager

MURLIDHAR RATANLAL EXPORTS LIMITED

UNIT: HASTINGS JUTE MILL

Qualitywise Efficiency Report For 01-JUN-24 to 07-JUN-24
S4LOOM TRAINEE

02-JUL-24 09:41 AM

Page 7 of 9

Wastage : 0.0

Shift	T/Hrs	L/Hrs	W/Hrs
A	48.00	- 0.00	48.00
B	48.00	- 0.00	48.00
C	45.00	- 0.00	45.00

141

Qlty Code	Quality Port	Shot	Specifications Width	Description	R.S.	Laid Lngth	Fin. Lngth	No of Cuts	Total Yds/mtr	Gms/ Yds	Wt in Kg	Total Yds/mtr	Eff%	Total Loom Hour	No of Looms	Kg/ Loom/Hour
G086	5	7	22.4	GOV.B.TWILL	36"	180	169	508	85852	259	22236	100661.4	85.3	1598.00	204	111.32
				sacking (6) -->				508	85852		22236	100661.4	85.3	1598.00	204	13.91
				Grand Total :				508	85852		22236	100661.4	85.3	1598.00	204	13.91

Overseer

Weaving I/C

Asst. Manager.(Fact.)

M.Manager

P.Manager

C.M. Manager

MURLIDHAR RATANLAL EXPORTS LIMITED

UNIT: HASTINGS JUTE MILL

Qualitywise Efficiency Report For 01-JUN-24 to 07-JUN-24
SACKING WVG.

02-JUL-24 09:41 AM

Page 8 of 9

Wastage : 0.0

Shift	T/Hrs	L/Hrs	W/Hrs
A	48.00	- 0.00	48.00
B	48.00	- 0.00	48.00
C	0.00	- 0.00	0.00

96

Qlty Code	Quality Port	Shot	Specifications Width	Description	R.S.	Laid Lngth	Fin. Lngth	No of Cuts	Total Yds/mtr	Gms/ Yds	Wt in Kg	Total Yds/mtr	Eff%	Total Loom Hour	No of Looms	Kg/ Loom/Hour
G083	5	7	22.4	GOV.B.TWILL	32"	130	126	293	36918	259	9562	46720.0	79	1168.00	146	65.49
	5	7	22.4	GOV.B.TWILL	36"	130	126	3711	467586	259	121105	582278.1	80.3	14912.00	1864	64.97
	Quality Total -->							4004	504504		130667	628998.1	80.2	16080.00	2010	8.13
G443	8	9	26.5	L.TWILL	36"	130	123	734	90282	432	39002	111034.1	81.3	3656.00	457	85.34
	sacking (6) -->							4738	594786		169669	740032.2	80.4	19736.00	2467	8.60
	Grand Total :							4738	594786		169669	740032.2	80.4	19736.00	2467	8.60

Overseer

Weaving I/C

Asst. Manager.(Fact.)

M.Manager

P.Manager

C.M. Manager

MURLIDHAR RATANLAL EXPORTS LIMITED

UNIT: HASTINGS JUTE MILL

Qualitywise Efficiency Report For 01-JUN-24 to 07-JUN-24

SRIRAM S4LOOM

02-JUL-24 09:41 AM

Page 9 of 9

Wastage : 0.0

Shift	T/Hrs	L/Hrs	W/Hrs
A	48.00	- 0.00	48.00
B	48.00	- 0.00	48.00
C	45.00	- 0.00	45.00

141

Qlty Code	Quality Port	Shot	Specifications Width Description	R.S.	Laid Lngth	Fin. Lngth	No of Cuts	Total Yds/mtr	Gms/ Yds	Wt in Kg	Total Yds/mtr	Eff%	Total Loom Hour	No of Looms	Kg/ Loom/Hour
G086	5	7	22.4 GOV.B.TWILL	36"	180	169	2128	359632	259	93145	417448.8	86.1	6627.00	846	112.44
			sacking (6) -->				2128	359632		93145	417448.8	86.1	6627.00	846	14.06
			Grand Total :				2128	359632		93145	417448.8	86.1	6627.00	846	14.06

Overseer

Weaving I/C

Asst. Manager.(Fact.)

M.Manager

P.Manager

C.M. Manager

Dy.G.M

G.Manager