

| Shift | T/Hrs | L/Hrs | W/Hrs |
|-------|-------|--------|-------|
| A | 8.00 | - 0.00 | 8.00 |
| B | 8.00 | - 0.00 | 8.00 |
| C | 0.00 | - 0.00 | 0.00 |

16.00

| Qty Code | Quality Specifications | | | | Loom Type | Reed Spac | Laid Length | Fin. Length | No of Cuts | NOC | Tot(act) Yards | Gms/ Yrds | Weight | Target Prods(Wt) | Effi% | Cumm. Effi% | Theoretical Yrds | No of Loom | Kgms/ Loom/Day | | |
|----------|------------------------|-------|-------|-------------|-----------|-----------|-------------|-------------|-----------------|-----|----------------|-----------|---------|------------------|---------|-------------|------------------|------------|----------------|-----|-------|
| | Porter | Sorts | Width | Description | | | | | | | | | | | | | | | | | |
| 1931 | 9 | 7 | 45.0 | HESS CLOTH | | 52" | 165 | 155 | 18 | | 2790 | 207 | 577.53 | 952.34 | 41.2 | 41.2 | 6765.71 | 24 | 48.13 | | |
| 1994 | 9 | 8 | 72.0 | HESS CLOTH | | 76" | 170 | 158 | 4 | | 632 | 357 | 225.62 | 501.70 | 30.6 | 37.9 | 2066.67 | 10 | 45.12 | | |
| 2512 | 9 | 10 | 47.3 | HESS CLOTH | | 56" | 165 | 155 | 9 | | 1395 | 268 | 373.86 | 524.85 | 48.4 | 47.3 | 2880.00 | 15 | 49.85 | | |
| 2991 | 11 | 9 | 34.0 | HESS CLOTH | | 46" | 165 | 155 | 9 | | 1395 | 196 | 273.42 | 364.89 | 51.0 | 48.2 | 2737.78 | 12 | 45.57 | | |
| 2994 | 11 | 9 | 72.0 | HESS CLOTH | | 76" | 165 | 160 | 4 | | 640 | 414 | 264.96 | 568.88 | 31.7 | 38.1 | 2020.74 | 11 | 48.17 | | |
| 3030 | 11 | 10 | 40.0 | HESS CLOTH | | 46" | 165 | 154 | 7 | | 1078 | 241 | 259.80 | 370.15 | 47.7 | 50.6 | 2258.67 | 11 | 47.24 | | |
| 3030 | 11 | 10 | 40.0 | HESS CLOTH | | 52" | 165 | 154 | 15 | | 2310 | 241 | 556.71 | 840.81 | 45.0 | 50.6 | 5130.67 | 26 | 42.82 | | |
| 3150 | 11 | 11 | 54.0 | HESS CLOTH | | 67" | 165 | 154 | 4 | | 616 | 357 | 219.91 | 391.36 | 38.2 | 44.8 | 1612.12 | 10 | 43.98 | | |
| 3150 | 11 | 11 | 54.0 | HESS CLOTH | | 58" | 165 | 154 | 50 | | 7700 | 357 | 2748.90 | 5014.10 | 37.3 | 44.8 | 20654.55 | 120 | 45.82 | | |
| 3197 | 11 | 12 | 40.0 | HESS CLOTH | | 46" | 165 | 153 | 3 | | 459 | 284 | 130.36 | 198.27 | 44.7 | 50.8 | 1026.67 | 6 | 43.45 | | |
| 3258 | 11 | 12 | 52.0 | HESS CLOTH | | 58" | 165 | 155 | 5 | | 775 | 369 | 285.98 | 475.07 | 40.9 | 43.6 | 1893.33 | 12 | 47.66 | | |
| 3397 | 11 | 12 | 70.0 | HESS CLOTH | | 76" | 170 | 158 | 2 | | 316 | 496 | 156.74 | 278.82 | 38.2 | 43.8 | 826.67 | 6 | 52.25 | | |
| 3517 | 11 | 12 | 43.3 | HESS CLOTH | | 52" | 165 | 156 | 15 | | 2340 | 307 | 718.38 | 1201.53 | 40.7 | 46.2 | 5755.56 | 35 | 41.05 | | |
| | | | | | | | | | hessian (1) --> | | 145 | | 22446 | | 6792.17 | 11682.77 | 40.3 | 45.2 | 55629.14 | 298 | 45.59 |
| | | | | | | | | | Grand Total : | | 145 | | 22446 | | 6792.17 | 11682.77 | 40.3 | 45.2 | 55629.14 | 298 | 45.59 |

Overseer

Weaving I/C

Asst. Manager.(Fact.)

M.Manager

P.Manager

C.M. Manager

Dy.G.M

G.Manager

| Shift | T/Hrs | L/Hrs | W/Hrs |
|-------|-------|--------|-------|
| A | 8.00 | - 0.00 | 8.00 |
| B | 8.00 | - 0.00 | 8.00 |
| C | 7.50 | - 0.00 | 7.50 |
| | | | 23.50 |

| Qty Code | Quality Specifications | | | | Loom Type | Reed Spac | Laid Length | Fin. Length | No of Cuts | NOC | Tot(act) Yards | Gms/ Yrds | Weight | Target Prods(Wt) | Effi% | Cumm. Effi% | Theoretical Yrds | No of Loom | Kgms/ Loom/Day |
|----------|------------------------|-------|-------|-----------------|-----------|-----------|-------------|-------------|------------|-----|----------------|-----------|---------|------------------|-------|-------------|------------------|------------|----------------|
| | Porter | Sorts | Width | Description | | | | | | | | | | | | | | | |
| 1948 | 9 | 7 | 44.0 | HESS CLOTH | ML300 | 300" | 165 | 152 | 17 | 2 | 2584 | 203 | 524.55 | 763.28 | 41.2 | 35.5 | 6267.00 | 12 | 131.14 |
| 2300 | 9 | 9 | 44.0 | HESS CLOTH | ML300 | 300" | 165 | 157 | 26 | 2 | 4082 | 234 | 955.19 | 1197.56 | 47.9 | 61.2 | 8530.00 | 21 | 136.46 |
| 3150 | 11 | 11 | 54.0 | HESS CLOTH | ML300 | 300" | 165 | 155 | 45 | 2 | 6975 | 357 | 2490.08 | 2349.06 | 63.6 | 52.1 | 10967.00 | 33 | 226.37 |
| 3150 | 11 | 11 | 54.0 | HESS CLOTH | ML360 | 360" | 165 | 155 | 24 | 2 | 3720 | 357 | 1328.04 | 1586.40 | 50.2 | 52.1 | 7408.00 | 24 | 166.01 |
| | | | | hessian (1) --> | | | | | | 112 | 17361 | | 5297.86 | 5896.30 | 52.3 | 50.2 | 33172.00 | 90 | 176.60 |
| | | | | Grand Total : | | | | | | 112 | 17361 | | 5297.86 | 5896.30 | 52.3 | 50.2 | 33172.00 | 90 | 176.60 |

Overseer

Weaving I/C

Asst. Manager.(Fact.)

M.Manager

P.Manager

C.M. Manager

Dy.G.M

G.Manager

MURLIDHAR RATANLAL EXPORTS LIMITED

UNIT: HASTINGS JUTE MILL

Qualitywise Efficiency Report For 08-JUN-24

S4 IJMD

Print Date : 02-JUL-24 09:42 AM

HJM/FS/B&W/09

Page 4 of 9
Wastage : 0.00

| Shift | T/Hrs | L/Hrs | W/Hrs |
|-------|-------|--------|-------|
| A | 8.00 | - 0.00 | 8.00 |
| B | 8.00 | - 0.00 | 8.00 |
| C | 7.50 | - 0.00 | 7.50 |
| | | | 23.50 |

| Qty Code | Quality Specifications | | | | Loom Type | Reed Spac | Laid Length | Fin. Length | No of Cuts | NOC | Tot(act) Yards | Gms/ Yrds | Weight | Target Prods(Wt) | Effi% | Cumm. Effi% | Theoretical Yrds | No of Loom | Kgms/ Loom/Day |
|----------|------------------------|-------|-------|-----------------|-----------|-----------|-------------|-------------|------------|-----|----------------|-----------|----------|------------------|-------|-------------|------------------|------------|----------------|
| | Porter | Sorts | Width | Description | | | | | | | | | | | | | | | |
| G086 | 5 | 7 | 22.4 | GOV.B.TWILL | | 36" | 180 | 169 | 355 | | 59995 | 259 | 15538.71 | 22073.70 | 86.8 | 86.2 | 69081.36 | 140 | 332.97 |
| | | | | sacking (6) --> | | | | | 355 | | 59995 | | 15538.71 | 22073.70 | 86.8 | 86.2 | 69081.36 | 140 | 332.97 |
| | | | | Grand Total : | | | | | 355 | | 59995 | | 15538.71 | 22073.70 | 86.8 | 86.2 | 69081.36 | 140 | 332.97 |

Overseer

Weaving I/C

Asst. Manager.(Fact.)

M.Manager

P.Manager

C.M. Manager

Dy.G.M

G.Manager

| Shift | T/Hrs | L/Hrs | W/Hrs |
|-------|-------|--------|-------|
| A | 8.00 | - 0.00 | 8.00 |
| B | 8.00 | - 0.00 | 8.00 |
| C | 7.50 | - 0.00 | 7.50 |
| | | | 23.50 |

| Qty Code | Quality Specifications | | | | Loom Type | Reed Spac | Laid Length | Fin. Length | No of Cuts | NOC | Tot(act) Yards | Gms/ Yrds | Weight | Target Prods(Wt) | Effi% | Cumm. Effi% | Theoretical Yrds | No of Loom | Kgms/ Loom/Day |
|----------|------------------------|-------|-------|-----------------|-----------|-----------|-------------|-------------|------------|-----|----------------|-----------|----------|------------------|-------|-------------|------------------|------------|----------------|
| | Porter | Sorts | Width | Description | | | | | | | | | | | | | | | |
| G086 | 5 | 7 | 22.4 | GOV.B.TWILL | | 36" | 180 | 169 | 357 | | 60333 | 259 | 15626.25 | 22231.38 | 86.7 | 86.3 | 69574.80 | 141 | 332.47 |
| | | | | sacking (6) --> | | | | | 357 | | 60333 | | 15626.25 | 22231.38 | 86.7 | 86.3 | 69574.80 | 141 | 332.47 |
| | | | | Grand Total : | | | | | 357 | | 60333 | | 15626.25 | 22231.38 | 86.7 | 86.3 | 69574.80 | 141 | 332.47 |

Overseer

Weaving I/C

Asst. Manager.(Fact.)

M.Manager

P.Manager

C.M. Manager

Dy.G.M

G.Manager

| Shift | T/Hrs | L/Hrs | W/Hrs |
|-------|-------|--------|-------|
| A | 8.00 | - 0.00 | 8.00 |
| B | 8.00 | - 0.00 | 8.00 |
| C | 7.50 | - 0.00 | 7.50 |
| | | | 23.50 |

| Qty Code | Quality Specifications | | | | Loom Type | Reed Spac | Laid Length | Fin. Length | No of Cuts | NOC | Tot(act) Yards | Gms/ Yrds | Weight | Target Prods(Wt) | Effi% | Cumm. Effi% | Theoretical Yrds | No of Loom | Kgms/ Loom/Day |
|----------|------------------------|-------|-------|-----------------|-----------|-----------|-------------|-------------|------------|-----|----------------|-----------|---------|------------------|-------|-------------|------------------|------------|----------------|
| | Porter | Sorts | Width | Description | | | | | | | | | | | | | | | |
| G086 | 5 | 7 | 22.4 | GOV.B.TWILL | | 36" | 180 | 169 | 86 | | 14534 | 259 | 3764.31 | 5360.76 | 86.6 | 85.5 | 16776.90 | 34 | 332.15 |
| | | | | sacking (6) --> | | | | | 86 | | 14534 | | 3764.31 | 5360.76 | 86.6 | 85.5 | 16776.90 | 34 | 332.15 |
| | | | | Grand Total : | | | | | 86 | | 14534 | | 3764.31 | 5360.76 | 86.6 | 85.5 | 16776.90 | 34 | 332.15 |

Overseer

Weaving I/C

Asst. Manager.(Fact.)

M.Manager

P.Manager

C.M. Manager

Dy.G.M

G.Manager

MURLIDHAR RATANLAL EXPORTS LIMITED

UNIT: HASTINGS JUTE MILL

Qualitywise Efficiency Report For 08-JUN-24

SACKING WVG.

Print Date : 02-JUL-24 09:42 AM

HJM/FS/B&W/09

Page 8 of 9
Wastage : 0.00

| Shift | T/Hrs | L/Hrs | W/Hrs |
|-------|-------|--------|-------|
| A | 8.00 | - 0.00 | 8.00 |
| B | 8.00 | - 0.00 | 8.00 |
| C | 0.00 | - 0.00 | 0.00 |
| | | | 16.00 |

| Qty Code | Quality Specifications | | | | Loom Type | Reed Spac | Laid Length | Fin. Length | No of Cuts | NOC | Tot(act) Yards | Gms/ Yrds | Weight | Target Prods(Wt) | Effi% | Cumm. Effi% | Theoretical Yrds | No of Loom | Kgms/ Loom/Day |
|----------|------------------------|-------|-------|-----------------|-----------|-----------|-------------|-------------|------------|-----|----------------|-----------|----------|------------------|-------|-------------|------------------|------------|----------------|
| | Porter | Sorts | Width | Description | | | | | | | | | | | | | | | |
| G083 | 5 | 7 | 22.4 | GOV.B.TWILL | | 32" | 130 | 126 | 59 | | 7434 | 259 | 1925.41 | 2113.44 | 77.4 | 79.6 | 9600.00 | 30 | 128.36 |
| G083 | 5 | 7 | 22.4 | GOV.B.TWILL | | 36" | 130 | 126 | 647 | | 81522 | 259 | 21114.20 | 22281.70 | 80.5 | 79.6 | 101211.43 | 324 | 130.33 |
| G443 | 8 | 9 | 26.5 | L.TWILL | | 36" | 130 | 123 | 131 | | 16113 | 432 | 6960.82 | 7226.50 | 81.9 | 81.5 | 19680.00 | 81 | 171.87 |
| | | | | sacking (6) --> | | | | | 837 | | 105069 | | 30000.43 | 31621.64 | 80.5 | 80.2 | 130491.43 | 435 | 137.93 |
| | | | | Grand Total : | | | | | 837 | | 105069 | | 30000.43 | 31621.64 | 80.5 | 80.2 | 130491.43 | 435 | 137.93 |

Overseer

Weaving I/C

Asst. Manager.(Fact.)

M.Manager

P.Manager

C.M. Manager

Dy.G.M

G.Manager

| Shift | T/Hrs | L/Hrs | W/Hrs |
|-------|-------|--------|-------|
| A | 8.00 | - 0.00 | 8.00 |
| B | 8.00 | - 0.00 | 8.00 |
| C | 7.50 | - 0.00 | 7.50 |
| | | | 23.50 |

| Qty Code | Quality Specifications | | | | Loom Type | Reed Spac | Laid Length | Fin. Length | No of Cuts | NOC | Tot(act) Yards | Gms/ Yrds | Weight | Target Prods(Wt) | Effi% | Cumm. Effi% | Theoretical Yrds | No of Loom | Kgms/ Loom/Day |
|----------|------------------------|-------|-------|-----------------|-----------|-----------|-------------|-------------|------------|-----|----------------|-----------|----------|------------------|-------|-------------|------------------|------------|----------------|
| | Porter | Sorts | Width | Description | | | | | | | | | | | | | | | |
| G086 | 5 | 7 | 22.4 | GOV.B.TWILL | | 36" | 180 | 169 | 357 | | 60333 | 259 | 15626.25 | 22231.38 | 86.7 | 86.2 | 69574.80 | 141 | 332.47 |
| | | | | sacking (6) --> | | | | | 357 | | 60333 | | 15626.25 | 22231.38 | 86.7 | 86.2 | 69574.80 | 141 | 332.47 |
| | | | | Grand Total : | | | | | 357 | | 60333 | | 15626.25 | 22231.38 | 86.7 | 86.2 | 69574.80 | 141 | 332.47 |

Overseer

Weaving I/C

Asst. Manager.(Fact.)

M.Manager

P.Manager

C.M. Manager

Dy.G.M

G.Manager