

MURLIDHAR RATANLAL EXPORTS LIMITED

UNIT: HASTINGS JUTE MILL

Qualitywise Efficiency Report For 22-JUN-24 to 30-JUN-24
BROAD LOOM

02-JUL-24 09:54 AM

Page 1 of 10

Wastage : 0.0

Shift	T/Hrs	L/Hrs	W/Hrs
A	64.00	- 0.00	64.00
B	64.00	- 0.00	64.00
C	60.00	- 0.00	60.00

188

Qlty Code	Quality Port	Shot	Specifications Width	Description	R.S.	Laid Lngth	Fin. Lngth	No of Cuts	Total Yds/mtr	Gms/ Yds	Wt in Kg	Total Yds/mtr	Eff%	Total Loom Hour	No of Looms	Kg/ Loom/Hour
G083	5	7	22.4	GOV.B.TWILL	36"	130	121	2970	359370	259	93077	476661.4	75.4	10089.34	1288	73.80
				sacking (6) -->				2970	359370		93077	476661.4	75.4	10089.34	1288	9.23
				Grand Total :				2970	359370		93077	476661.4	75.4	10089.34	1288	9.23

Overseer

Weaving I/C

Asst. Manager.(Fact.)

M.Manager

P.Manager

C.M. Manager

MURLIDHAR RATANLAL EXPORTS LIMITED

UNIT: HASTINGS JUTE MILL

Qualitywise Efficiency Report For 22-JUN-24 to 30-JUN-24

HESSIAN WVG.

02-JUL-24 09:54 AM

Page 2 of 10

Wastage : 0.0

Shift	T/Hrs	L/Hrs	W/Hrs
A	64.00	- 0.00	64.00
B	64.00	- 0.00	64.00
C	0.00	- 0.00	0.00

128

Qlty Code	Quality Port	Shot	Specifications Width	Description	R.S.	Laid Lngth	Fin. Lngth	No of Cuts	Total Yds/mtr	Gms/ Yds	Wt in Kg	Total Yds/mtr	Eff%	Total Loom Hour	No of Looms	Kg/ Loom/Hour
1932	9	7	48	HESS CLOTH	52"	165	158	31	4842	221	1070	11840.0	40.9	336.00	42	25.48
1935	9	7	72	hess cloth	76"	170	158	60	9348	332	3104	26453.3	35.3	896.00	112	27.71
1991	9	8	40	HESS CLOTH	52"	165	152	32	4828	198	956	9373.3	51.5	304.00	38	25.16
1994	9	8	72	HESS CLOTH	76"	170	158	23	3634	357	1297	9506.7	38.2	368.00	46	28.20
1999	9	8	48	HESS CLOTH	52"	165	154	30	4620	238	1100	10853.3	42.6	352.00	44	25.00
2002	9	8	54	HESS CLOTH	58"	165	154	2	308	268	83	710.0	43.4	24.00	3	27.67
2402	9	10	43.3	HESS CLOTH	52"	165	155	55	8487	249	2113	17365.3	48.9	704.00	88	24.01
2512	9	10	47.3	HESS CLOTH	56"	165	155	78	12050	268	3229	25344.0	47.5	1056.00	132	24.46
2985	11	9	52	HESS CLOTH	56"	165	153	5	765	299	229	1706.7	44.8	64.00	8	28.63
	11	9	52	HESS CLOTH	58"	165	156	17	2644	299	791	6731.8	39.3	256.00	32	24.72
Quality Total -->								22	3409		1020	8438.5	40.4	320.00	40	3.19
3023	11	10	48	HESS CLOTH	52"	165	156	175	27007	289	7805	64528.0	41.9	2616.00	327	23.87
3028	11	10	72	HESS CLOTH	76"	165	158	23	3634	434	1577	10746.7	33.8	520.00	65	24.26
3150	11	11	54	HESS CLOTH	58"	165	156	369	56349	357	20117	142172.1	39.6	6608.00	826	24.35
	11	11	54	HESS CLOTH	67"	165	156	33	5062	357	1807	12252.1	41.3	608.00	76	23.78
Quality Total -->								402	61411		21924	154424.2	39.8	7216.00	902	3.04
3227	11	12	33	HESS CLOTH	46"	165	156	68	10447	234	2445	14715.6	71	688.00	86	28.43
	11	12	33	HESS CLOTH	52"	165	156	20	3077	234	720	4768.9	64.5	232.00	29	24.83
Quality Total -->								88	13524		3165	19484.5	69.4	920.00	115	3.44
3267	11	12	36	HESS CLOTH	46"	165	153	30	4571	255	1166	7357.8	62.1	344.00	43	27.12
	11	12	36	HESS CLOTH	52"	165	153	36	5463	255	1393	9044.4	60.4	440.00	55	25.33
Quality Total -->								66	10034		2559	16402.2	61.2	784.00	98	3.26
3367	11	12	50	HESS CLOTH	58"	165	157	74	11478	354	4063	25717.8	44.6	1304.00	163	24.93
5803	8	6	54	HESS CL	58"	165	155	108	16721	210	3511	40391.1	41.4	1024.00	128	27.43
	8	6	54	HESS CL	67"	165	155	29	4495	210	944	10935.6	41.1	296.00	37	25.51
Quality Total -->								137	21216		4455	51326.7	41.3	1320.00	165	3.38
hessian (1) -->								1298	199830		59520	462514.5	43.2	19040.00	2380	3.13
Qlty Code	Quality Port	Shot	Specifications Width	Description	R.S.	Laid Lngth	Fin. Lngth	No of Cuts	Total Yds/mtr	Gms/ Yds	Wt in Kg	Total Yds/mtr	Eff%	Total Loom Hour	No of Looms	Kg/ Loom/Hour
0482	5	6.5	36	BAILING CL	46"	130	120	5	600	437	262	947.7	63.3	24.00	3	87.33
	5	6.5	36	BAILING CL	52"	130	120	33	3960	437	1731	5768.2	68.7	152.00	19	91.11
Quality Total -->								38	4560		1993	6715.9	67.9	176.00	22	11.32
0483	5	6.5	42	BAILING CL	52"	130	120	30	3600	510	1836	6071.8	59.3	160.00	20	91.80
0484	5	6.5	40	BAILING CL	46"	130	120	10	1200	486	583	1895.4	63.3	48.00	6	97.17
	5	6.5	40	BAILING CL	52"	130	120	85	10200	486	4957	15483.1	65.9	408.00	51	97.20
Quality Total -->								95	11400		5540	17378.5	65.6	456.00	57	12.15
-->								163	19560		9369	30166.2	64.8	792.00	99	11.83
Grand Total :								1461	219390		68889	492680.7	44.5	19832.00	2479	3.47

Overseer

Weaving I/C

Asst. Manager.(Fact.)

M.Manager

P.Manager

C.M. Manager

MURLIDHAR RATANLAL EXPORTS LIMITED

UNIT: HASTINGS JUTE MILL

Qualitywise Efficiency Report For 22-JUN-24 to 30-JUN-24

MODERN LOOM

02-JUL-24 09:54 AM

Page 3 of 10

Wastage : 0.0

Shift	T/Hrs	L/Hrs	W/Hrs
A	64.00	- 0.00	64.00
B	64.00	- 0.00	64.00
C	60.00	- 0.00	60.00

188

Qlty Code	Quality Port	Shot	Specifications Width	Description	R.S.	Laid Lngth	Fin. Lngth	No of Cuts	Total Yds/mtr	Gms/ Yds	Wt in Kg	Total Yds/mtr	Eff%	Total Loom Hour	No of Looms	Kg/ Loom/ Hour
1399	8	7	54	HESSIAN CL	300"	165	146	7	1022	230	235	1306.0	78.3	39.17	5	48.00
3150	11	11	54	HESS CLOTH	300"	165	157	585	90747	357	32397	92219.0	98.4	4347.50	555	59.61
	11	11	54	HESS CLOTH	360"	165	157	218	33818	357	12073	33896.0	99.8	1598.00	204	60.44
Quality Total -->								803	124565		44470	126115.0	98.8	5945.50	759	7.48
hessian (1) -->								810	125587		44705	127421.0	98.6	5984.67	764	7.47
Grand Total :								810	125587		44705	127421.0	98.6	5984.67	764	7.47

Overseer

Weaving I/C

Asst. Manager.(Fact.)

M.Manager

P.Manager

C.M. Manager

MURLIDHAR RATANLAL EXPORTS LIMITED

UNIT: HASTINGS JUTE MILL

Qualitywise Efficiency Report For 22-JUN-24 to 30-JUN-24
S4 IJMD

02-JUL-24 09:54 AM

Page 4 of 10

Wastage : 0.0

Shift	T/Hrs	L/Hrs	W/Hrs
A	64.00	- 0.00	64.00
B	64.00	- 0.00	64.00
C	60.00	- 0.00	60.00

188

Qlty Code	Quality Port	Shot	Specifications Width	Description	R.S.	Laid Lngth	Fin. Lngth	No of Cuts	Total Yds/mtr	Gms/ Yds	Wt in Kg	Total Yds/mtr	Eff%	Total Loom Hour	No of Looms	Kg/ Loom/Hour
G086	5	7	22.4	GOV.B.TWILL	36"	180	169	2674	451906	259	117044	552157.5	81.8	8765.51	1119	106.82
				sacking (6) -->				2674	451906		117044	552157.5	81.8	8765.51	1119	13.35
				Grand Total :				2674	451906		117044	552157.5	81.8	8765.51	1119	13.35

Overseer

Weaving I/C

Asst. Manager.(Fact.)

M.Manager

P.Manager

C.M. Manager

MURLIDHAR RATANLAL EXPORTS LIMITED

UNIT: HASTINGS JUTE MILL

Qualitywise Efficiency Report For 22-JUN-24 to 30-JUN-24
S4 NEW SHED

02-JUL-24 09:54 AM

Page 5 of 10

Wastage : 0.0

Shift	T/Hrs	L/Hrs	W/Hrs
A	64.00	- 0.00	64.00
B	64.00	- 0.00	64.00
C	60.00	- 0.00	60.00

188

Qlty Code	Quality Port	Shot	Specifications Width	Description	R.S.	Laid Lngth	Fin. Lngth	No of Cuts	Total Yds/mtr	Gms/ Yds	Wt in Kg	Total Yds/mtr	Eff%	Total Loom Hour	No of Looms	Kg/ Loom/Hour
G086	5	7	22.4	GOV.B.TWILL	36"	180	169	2757	465933	259	120677	562519.7	82.8	8930.01	1140	108.11
				sacking (6) -->				2757	465933		120677	562519.7	82.8	8930.01	1140	13.51
				Grand Total :				2757	465933		120677	562519.7	82.8	8930.01	1140	13.51

Overseer

Weaving I/C

Asst. Manager.(Fact.)

M.Manager

P.Manager

C.M. Manager

MURLIDHAR RATANLAL EXPORTS LIMITED

UNIT: HASTINGS JUTE MILL

Qualitywise Efficiency Report For 22-JUN-24 to 30-JUN-24
S4LOOM

02-JUL-24 09:54 AM

Page 6 of 10

Wastage : 0.0

Shift	T/Hrs	L/Hrs	W/Hrs
A	64.00	- 0.00	64.00
B	64.00	- 0.00	64.00
C	60.00	- 0.00	60.00

188

Qlty Code	Quality Port	Shot	Specifications Width	Description	R.S.	Laid Lngth	Fin. Lngth	No of Cuts	Total Yds/mtr	Gms/ Yds	Wt in Kg	Total Yds/mtr	Eff%	Total Loom Hour	No of Looms	Kg/ Loom/Hour
G086	5	7	22.4	GOV.B.TWILL	36"	180	169	4738	800722	259	207387	977994.7	81.9	15525.67	1982	106.86
				sacking (6) -->				4738	800722		207387	977994.7	81.9	15525.67	1982	13.36
				Grand Total :				4738	800722		207387	977994.7	81.9	15525.67	1982	13.36

Overseer

Weaving I/C

Asst. Manager.(Fact.)

M.Manager

P.Manager

C.M. Manager

MURLIDHAR RATANLAL EXPORTS LIMITED

UNIT: HASTINGS JUTE MILL

Qualitywise Efficiency Report For 22-JUN-24 to 30-JUN-24
S4LOOM TRAINEE

02-JUL-24 09:54 AM

Page 7 of 10

Wastage : 0.0

Shift	T/Hrs	L/Hrs	W/Hrs
A	64.00	- 0.00	64.00
B	64.00	- 0.00	64.00
C	60.00	- 0.00	60.00

188

Qlty Code	Quality Port	Shot	Specifications Width	Description	R.S.	Laid Lngth	Fin. Lngth	No of Cuts	Total Yds/mtr	Gms/ Yds	Wt in Kg	Total Yds/mtr	Eff%	Total Loom Hour	No of Looms	Kg/ Loom/Hour
G086	5	7	22.4	GOV.B.TWILL	36"	180	169	660	111540	259	28889	136189.0	81.9	2162.01	276	106.90
				sacking (6) -->				660	111540		28889	136189.0	81.9	2162.01	276	13.36
				Grand Total :				660	111540		28889	136189.0	81.9	2162.01	276	13.36

Overseer

Weaving I/C

Asst. Manager.(Fact.)

M.Manager

P.Manager

C.M. Manager

MURLIDHAR RATANLAL EXPORTS LIMITED

UNIT: HASTINGS JUTE MILL

Qualitywise Efficiency Report For 22-JUN-24 to 30-JUN-24
SACKING WVG.

02-JUL-24 09:54 AM

Page 8 of 10

Wastage : 0.0

Shift	T/Hrs	L/Hrs	W/Hrs
A	64.00	- 0.00	64.00
B	64.00	- 0.00	64.00
C	0.00	- 0.00	0.00

128

Qlty Code	Quality	Port	Shot	Specifications	Width	Description	R.S.	Laid Lngth	Fin. Lngth	No of Cuts	Total Yds/mtr	Gms/ Yds	Wt in Kg	Total Yds/mtr	Eff%	Total Loom Hour	No of Looms	Kg/ Loom/Hour
G067		5	6.5	40	S.BALING C		46"	130	120	37	4440	486	2158	6318.0	70.3	160.00	20	107.90
					hessian (1) -->					37	4440		2158	6318.0	70.3	160.00	20	13.49
G083		5	7	22.4	GOV.B.TWILL		32"	130	126	985	124110	259	32144	156800.0	79.2	3920.00	490	65.60
		5	7	22.4	GOV.B.TWILL		36"	130	126	4562	574812	259	148876	713478.1	80.6	18272.00	2284	65.18
					Quality Total -->					5547	698922		181020	870278.1	80.3	22192.00	2774	8.16
					sacking (6) -->					5547	698922		181020	870278.1	80.3	22192.00	2774	8.16
					Grand Total :					5584	703362		183178	876596.1	80.2	22352.00	2794	8.20

Overseer

Weaving I/C

Asst. Manager.(Fact.)

M.Manager

P.Manager

C.M. Manager

MURLIDHAR RATANLAL EXPORTS LIMITED

UNIT: HASTINGS JUTE MILL

Qualitywise Efficiency Report For 22-JUN-24 to 30-JUN-24

SRIRAM

02-JUL-24 09:54 AM

Page 9 of 10

Wastage : 0.0

Shift	T/Hrs	L/Hrs	W/Hrs
A	8.00	- 0.00	8.00
B	8.00	- 0.00	8.00
C	7.50	- 0.00	7.50
			23.5

Qlty Code	Quality Port	Shot	Specifications Width	Description	R.S.	Laid Lngth	Fin. Lngth	No of Cuts	Total Yds/mtr	Gms/ Yds	Wt in Kg	Total Yds/mtr	Eff%	Total Loom Hour	No of Looms	Kg/ Loom/Hour
G086	5	7	22.4	GOV.B.TWILL	36"	180	169	330	55770	259	14444	43128.1	129.3	1104.50	141	104.62
				sacking (6) -->				330	55770		14444	43128.1	129.3	1104.50	141	13.08
				Grand Total :				330	55770		14444	43128.1	129.3	1104.50	141	13.08

Overseer

Weaving I/C

Asst. Manager.(Fact.)

M.Manager

P.Manager

C.M. Manager

MURLIDHAR RATANLAL EXPORTS LIMITED

UNIT: HASTINGS JUTE MILL

Qualitywise Efficiency Report For 22-JUN-24 to 30-JUN-24

SRIRAM S4LOOM

02-JUL-24 09:54 AM

Page 10 of 10

Wastage : 0.0

Shift	T/Hrs	L/Hrs	W/Hrs
A	56.00	- 0.00	56.00
B	56.00	- 0.00	56.00
C	52.50	- 0.00	52.50

164.5

Qlty Code	Quality Port	Shot	Specifications Width	Description	R.S.	Laid Lngth	Fin. Lngth	No of Cuts	Total Yds/mtr	Gms/ Yds	Wt in Kg	Total Yds/mtr	Eff%	Total Loom Hour	No of Looms	Kg/ Loom/Hour
G086	5	7	22.4	GOV.B.TWILL	36"	180	169	2335	394615	259	102205	487023.6	81	7731.50	987	105.75
				sacking (6) -->				2335	394615		102205	487023.6	81	7731.50	987	13.22
				Grand Total :				2335	394615		102205	487023.6	81	7731.50	987	13.22

Overseer

Weaving I/C

Asst. Manager.(Fact.)

M.Manager

P.Manager

C.M. Manager

Dy.G.M

G.Manager