

MURLIDHAR RATANLAL EXPORTS LIMITED

UNIT: HASTINGS JUTE MILL

Qualitywise Efficiency Report For 08-JUN-24 to 14-JUN-24

BROAD LOOM

02-JUL-24 09:47 AM

Page 1 of 10

Wastage : 0.0

Shift	T/Hrs	L/Hrs	W/Hrs
A	48.00	- 0.00	48.00
B	48.00	- 0.00	48.00
C	45.00	- 0.00	45.00

141

Qlty Code	Quality Port	Shot	Specifications Width	Description	R.S.	Laid Lngth	Fin. Lngth	No of Cuts	Total Yds/mtr	Gms/ Yds	Wt in Kg	Total Yds/mtr	Eff%	Total Loom Hour	No of Looms	Kg/ Loom/Hour
G083	5	7	22.4	GOV.B.TWILL	36"	130	121	2288	276848	259	71704	355275.6	77.9	7520.01	960	76.28
				sacking (6) -->				2288	276848		71704	355275.6	77.9	7520.01	960	9.54
				Grand Total :				2288	276848		71704	355275.6	77.9	7520.01	960	9.54

Overseer

Weaving I/C

Asst. Manager.(Fact.)

M.Manager

P.Manager

C.M. Manager

MURLIDHAR RATANLAL EXPORTS LIMITED

UNIT: HASTINGS JUTE MILL

Qualitywise Efficiency Report For 08-JUN-24 to 14-JUN-24
HESSIAN WVG.

02-JUL-24 09:47 AM
Page 2 of 10

Wastage : 0.0

Shift	T/Hrs	L/Hrs	W/Hrs
A	48.00	- 0.00	48.00
B	48.00	- 0.00	48.00
C	0.00	- 0.00	0.00 96

Qlty Code	Quality		Specifications		R.S.	Laid Lngth	Fin. Lngth	No of Cuts	Total Yds/mtr	Gms/ Yds	Wt in Kg	Total Yds/mtr	Eff%	Total Loom Hour	No of Looms	Kg/ Loom/Hour
	Port	Shot	Width	Description												
1931	9	7	45	HESS CLOTH	52"	165	155	60	9216	207	1908	20861.0	44.2	592.00	74	25.78
1991	9	8	40	HESS CLOTH	46"	165	154	7	1078	198	213	2053.3	52.5	64.00	8	26.63
	9	8	40	HESS CLOTH	52"	165	154	3	462	198	91	986.7	46.8	32.00	4	22.75
				Quality Total -->				10	1540		304	3040.0	50.7	96.00	12	3.17
1994	9	8	72	HESS CLOTH	76"	170	158	44	6952	357	2482	19840.0	35	768.00	96	25.85
2402	9	10	43.3	HESS CLOTH	52"	165	155	18	2782	249	693	5525.3	50.4	224.00	28	24.75
	9	10	43.3	HESS CLOTH	58"	165	155	3	465	249	116	946.7	49.1	40.00	5	23.20
				Quality Total -->				21	3247		809	6472.0	50.2	264.00	33	3.06
2512	9	10	47.3	HESS CLOTH	56"	165	156	72	11191	268	2999	22080.0	50.7	920.00	115	26.08
2991	11	9	34	HESS CLOTH	46"	165	156	50	7768	196	1523	13460.7	57.7	472.00	59	25.81
	11	9	34	HESS CLOTH	52"	165	156	115	17858	196	3500	30915.6	57.8	1128.00	141	24.82
				Quality Total -->				165	25626		5023	44376.3	57.7	1600.00	200	3.14
2994	11	9	72	HESS CLOTH	76"	165	160	6	960	414	397	2939.3	32.7	128.00	16	24.81
3030	11	10	40	HESS CLOTH	46"	165	156	18	2782	241	670	5749.3	48.4	224.00	28	23.93
	11	10	40	HESS CLOTH	52"	165	156	49	7556	241	1821	15392.0	49.1	624.00	78	23.35
				Quality Total -->				67	10338		2491	21141.3	48.9	848.00	106	2.94
3150	11	11	54	HESS CLOTH	58"	165	154	359	55286	357	19737	136664.3	40.5	6352.00	794	24.86
	11	11	54	HESS CLOTH	67"	165	154	19	2926	357	1045	6932.1	42.2	344.00	43	24.30
				Quality Total -->				378	58212		20782	143596.4	40.5	6696.00	837	3.10
3197	11	12	40	HESS CLOTH	46"	165	153	4	612	284	174	1368.9	44.7	64.00	8	21.75
3258	11	12	52	HESS CLOTH	58"	165	155	11	1705	369	629	4260.0	40	216.00	27	23.30
3397	11	12	70	HESS CLOTH	76"	170	158	19	3002	496	1489	6888.9	43.6	400.00	50	29.78
3517	11	12	43.3	HESS CLOTH	52"	165	156	79	12229	307	3754	28448.9	43	1384.00	173	21.70
				hessian (1) -->				936	144830		43241	325313.0	44.5	13976.00	1747	3.09
Qlty Code	Quality		Specifications		R.S.	Laid Lngth	Fin. Lngth	No of Cuts	Total Yds/mtr	Gms/ Yds	Wt in Kg	Total Yds/mtr	Eff%	Total Loom Hour	No of Looms	Kg/ Loom/Hour
	Port	Shot	Width	Description												
0483	5	6.5	42	BAILING CL	52"	130	120	50	6000	510	3060	9411.3	63.8	248.00	31	98.71
0484	5	6.5	40	BAILING CL	52"	130	120	26	3120	486	1516	5161.0	60.5	136.00	17	89.18
				-->				76	9120		4576	14572.3	62.6	384.00	48	11.92
				Grand Total :				1012	153950		47817	339885.3	45.3	14360.00	1795	3.33

Overseer

Weaving I/C

Asst. Manager.(Fact.)

M.Manager

P.Manager

C.M. Manager

MURLIDHAR RATANLAL EXPORTS LIMITED

UNIT: HASTINGS JUTE MILL

Qualitywise Efficiency Report For 08-JUN-24 to 14-JUN-24

MODERN LOOM

02-JUL-24 09:47 AM

Page 3 of 10

Wastage : 0.0

Shift	T/Hrs	L/Hrs	W/Hrs
A	48.00	- 0.00	48.00
B	48.00	- 0.00	48.00
C	45.00	- 0.00	45.00

141

Qlty Code	Quality Port	Shot	Specifications Width	Description	R.S.	Laid Lngth	Fin. Lngth	No of Cuts	Total Yds/mtr	Gms/ Yds	Wt in Kg	Total Yds/mtr	Eff%	Total Loom Hour	No of Looms	Kg/ Loom/Hour	
1948	9	7	44	HESS CLOTH	300"	165	158	183	28344	203	5754	27939.0	101.4	838.16	107	54.92	
2300	9	9	44	HESS CLOTH	300"	165	157	29	4547	234	1064	4671.0	97.3	180.17	23	47.24	
3150	11	11	54	HESS CLOTH	300"	165	156	290	44997	357	16064	42372.0	106.2	1997.51	255	64.34	
	11	11	54	HESS CLOTH	360"	165	156	163	25291	357	9029	26418.0	95.7	1245.50	159	57.99	
				Quality Total -->					453	70288		25093	68790.0	102.2	3243.01	414	7.74
				hessian (1) -->					665	103179		31911	101400.0	101.8	4261.34	544	7.49
				Grand Total :					665	103179		31911	101400.0	101.8	4261.34	544	7.49

Overseer

Weaving I/C

Asst. Manager.(Fact.)

M.Manager

P.Manager

C.M. Manager

MURLIDHAR RATANLAL EXPORTS LIMITED

UNIT: HASTINGS JUTE MILL

Qualitywise Efficiency Report For 08-JUN-24 to 14-JUN-24
S4 IJMD

02-JUL-24 09:47 AM

Page 4 of 10

Wastage : 0.0

Shift	T/Hrs	L/Hrs	W/Hrs
A	48.00	- 0.00	48.00
B	48.00	- 0.00	48.00
C	45.00	- 0.00	45.00

141

Qlty Code	Quality Port	Shot	Specifications Width	Description	R.S.	Laid Lngth	Fin. Lngth	No of Cuts	Total Yds/mtr	Gms/ Yds	Wt in Kg	Total Yds/mtr	Eff%	Total Loom Hour	No of Looms	Kg/ Loom/Hour
G086	5	7	22.4	GOV.B.TWILL	36"	180	169	2133	360477	259	93364	416461.9	86.6	6611.34	844	112.97
				sacking (6) -->				2133	360477		93364	416461.9	86.6	6611.34	844	14.12
				Grand Total :				2133	360477		93364	416461.9	86.6	6611.34	844	14.12

Overseer

Weaving I/C

Asst. Manager.(Fact.)

M.Manager

P.Manager

C.M. Manager

MURLIDHAR RATANLAL EXPORTS LIMITED

UNIT: HASTINGS JUTE MILL

Qualitywise Efficiency Report For 08-JUN-24 to 14-JUN-24
S4 NEW SHED

02-JUL-24 09:47 AM

Page 5 of 10

Wastage : 0.0

Shift	T/Hrs	L/Hrs	W/Hrs
A	48.00	- 0.00	48.00
B	48.00	- 0.00	48.00
C	45.00	- 0.00	45.00

141

Qlty Code	Quality Port	Shot	Specifications Width	Description	R.S.	Laid Lngth	Fin. Lngth	No of Cuts	Total Yds/mtr	Gms/ Yds	Wt in Kg	Total Yds/mtr	Eff%	Total Loom Hour	No of Looms	Kg/ Loom/Hour
G086	5	7	22.4	GOV.B.TWILL	36"	180	169	2144	362336	259	93845	418435.7	86.6	6642.66	848	113.02
				sacking (6) -->				2144	362336		93845	418435.7	86.6	6642.66	848	14.13
				Grand Total :				2144	362336		93845	418435.7	86.6	6642.66	848	14.13

Overseer

Weaving I/C

Asst. Manager.(Fact.)

M.Manager

P.Manager

C.M. Manager

MURLIDHAR RATANLAL EXPORTS LIMITED

UNIT: HASTINGS JUTE MILL

Qualitywise Efficiency Report For 08-JUN-24 to 14-JUN-24
S4LOOM

02-JUL-24 09:47 AM

Page 6 of 10

Wastage : 0.0

Shift	T/Hrs	L/Hrs	W/Hrs
A	48.00	- 0.00	48.00
B	48.00	- 0.00	48.00
C	45.00	- 0.00	45.00

141

Qlty Code	Quality Port	Shot	Specifications Width	Description	R.S.	Laid Lngth	Fin. Lngth	No of Cuts	Total Yds/mtr	Gms/ Yds	Wt in Kg	Total Yds/mtr	Eff%	Total Loom Hour	No of Looms	Kg/ Loom/Hour
G086	5	7	22.4	GOV.B.TWILL	36"	180	169	3612	610428	259	158101	708577.5	86.1	11248.65	1436	112.44
				sacking (6) -->				3612	610428		158101	708577.5	86.1	11248.65	1436	14.06
				Grand Total :				3612	610428		158101	708577.5	86.1	11248.65	1436	14.06

Overseer

Weaving I/C

Asst. Manager.(Fact.)

M.Manager

P.Manager

C.M. Manager

MURLIDHAR RATANLAL EXPORTS LIMITED

UNIT: HASTINGS JUTE MILL

Qualitywise Efficiency Report For 08-JUN-24 to 14-JUN-24
S4LOOM TRAINEE

02-JUL-24 09:47 AM

Page 7 of 10

Wastage : 0.0

Shift	T/Hrs	L/Hrs	W/Hrs
A	48.00	- 0.00	48.00
B	48.00	- 0.00	48.00
C	45.00	- 0.00	45.00

141

Qlty Code	Quality Port	Shot	Specifications Width	Description	R.S.	Laid Lngth	Fin. Lngth	No of Cuts	Total Yds/mtr	Gms/ Yds	Wt in Kg	Total Yds/mtr	Eff%	Total Loom Hour	No of Looms	Kg/ Loom/Hour
G086	5	7	22.4	GOV.B.TWILL	36"	180	169	501	84669	259	21929	99181.1	85.4	1574.49	201	111.42
				sacking (6) -->				501	84669		21929	99181.1	85.4	1574.49	201	13.93
				Grand Total :				501	84669		21929	99181.1	85.4	1574.49	201	13.93

Overseer

Weaving I/C

Asst. Manager.(Fact.)

M.Manager

P.Manager

C.M. Manager

MURLIDHAR RATANLAL EXPORTS LIMITED

UNIT: HASTINGS JUTE MILL

Qualitywise Efficiency Report For 08-JUN-24 to 14-JUN-24
SACKING WVG.

02-JUL-24 09:47 AM

Page 8 of 10

Wastage : 0.0

Shift	T/Hrs	L/Hrs	W/Hrs
A	48.00	- 0.00	48.00
B	48.00	- 0.00	48.00
C	0.00	- 0.00	0.00

96

Qlty Code	Quality Port	Shot	Specifications Width	Description	R.S.	Laid Lngth	Fin. Lngth	No of Cuts	Total Yds/mtr	Gms/ Yds	Wt in Kg	Total Yds/mtr	Eff%	Total Loom Hour	No of Looms	Kg/ Loom/Hour
G083	5	7	22.4	GOV.B.TWILL	32"	130	126	349	43974	259	11389	55680.0	79	1392.00	174	65.45
	5	7	22.4	GOV.B.TWILL	36"	130	126	3101	390726	259	101198	485127.6	80.5	12424.00	1553	65.16
				Quality Total -->				3450	434700		112587	540807.6	80.4	13816.00	1727	8.15
G443	8	9	26.5	L.TWILL	36"	130	153	738	94494	432	40821	116622.2	81	3840.00	480	85.04
				sacking (6) -->				4188	529194		153408	657429.8	80.5	17656.00	2207	8.69
				Grand Total :				4188	529194		153408	657429.8	80.5	17656.00	2207	8.69

Overseer

Weaving I/C

Asst. Manager.(Fact.)

M.Manager

P.Manager

C.M. Manager

MURLIDHAR RATANLAL EXPORTS LIMITED

UNIT: HASTINGS JUTE MILL

Qualitywise Efficiency Report For 08-JUN-24 to 14-JUN-24

SRIRAM

02-JUL-24 09:47 AM

Page 9 of 10

Wastage : 0.0

Shift	T/Hrs	L/Hrs	W/Hrs
A	8.00	- 0.00	8.00
B	8.00	- 0.00	8.00
C	7.50	- 0.00	7.50
			23.5

Qty Code	Quality Port	Shot	Specifications Width	Description	R.S.	Laid Lngth	Fin. Lngth	No of Cuts	Total Yds/mtr	Gms/ Yds	Wt in Kg	Total Yds/mtr	Eff%	Total Loom Hour	No of Looms	Kg/ Loom/Hour
G086	5	7	22.4	GOV.B.TWILL	36"	180	169	357	60333	259	15626	43128.1	139.9	1104.50	141	113.18
				sacking (6) -->				357	60333		15626	43128.1	139.9	1104.50	141	14.15
				Grand Total :				357	60333		15626	43128.1	139.9	1104.50	141	14.15

Overseer

Weaving I/C

Asst. Manager.(Fact.)

M.Manager

P.Manager

C.M. Manager

MURLIDHAR RATANLAL EXPORTS LIMITED

UNIT: HASTINGS JUTE MILL

Qualitywise Efficiency Report For 08-JUN-24 to 14-JUN-24

SRIRAM S4LOOM

02-JUL-24 09:47 AM

Page 10 of 10

Wastage : 0.0

Shift	T/Hrs	L/Hrs	W/Hrs
A	40.00	- 0.00	40.00
B	40.00	- 0.00	40.00
C	37.50	- 0.00	37.50
			117.5

Qlty Code	Quality Port	Shot	Specifications Width	Description	R.S.	Laid Lngth	Fin. Lngth	No of Cuts	Total Yds/mtr	Gms/ Yds	Wt in Kg	Total Yds/mtr	Eff%	Total Loom Hour	No of Looms	Kg/ Loom/Hour
G086	5	7	22.4	GOV.B.TWILL	36"	180	169	1783	301327	259	78044	347380.6	86.7	5514.67	704	113.22
				sacking (6) -->				1783	301327		78044	347380.6	86.7	5514.67	704	14.15
				Grand Total :				1783	301327		78044	347380.6	86.7	5514.67	704	14.15

Overseer

Weaving I/C

Asst. Manager.(Fact.)

M.Manager

P.Manager

C.M. Manager

Dy.G.M

G.Manager